

00351 Fusso Coat Mirror Shine Light Color**Light color car only**

All you need to do is put the liquid on the included microfiber cloth and spread it evenly. Wiping off is NOT necessary!!! The effects of duration and antifouling last up to 9 months. Not only does it repel water but also oil. Applying on a deteriorated surface will bring out the shine and strength in the car's paint. Petroleum solvent and abrasive compound are NOT included!

Directions

*Wipe off dirt marks and remove water drops remaining on the surface.

1. Shake the bottle well and put the liquid on the included cloth.
2. Spread it on the car surface as evenly as possible. Drying or wiping off is NOT necessary!

Spec info.

250ml

Case dimension

W 308 H 227 D 547 mm

Case weight

8.4 kg

Case unit

20

Control No.

R-142

JAN code**00352 Fusso Coat Mirror Shine Light Color****Dark color car only**

All you need to do is put the liquid on the included microfiber cloth and spread it evenly. Wiping off is NOT necessary!!! The effects of duration and antifouling last up to 9 months. Not only does it repel water but also oil. Applying on a deteriorated surface will bring out the shine and strength in the car's paint. Petroleum solvent and abrasive compound are NOT included!

Directions

*Wipe off dirt marks and remove water drops remaining on the surface.

1. Shake the bottle well and put the liquid on the included cloth.
2. Spread it on the car surface as evenly as possible. Drying or wiping off is NOT necessary!

Spec info.

250ml

Case dimension

W 308 H 227 D 547 mm

Case weight

8.4 kg

Case unit

20

Control No.

R-143

JAN code**00337 Fusso Coat F7****White**

The Fluorine-based resin 'PTFE', will create an incredible barrier against harmful substances for up to 7 months. The newly formulated TSI effect develops an impermeable coating on the surface that remains for far longer than conventional products. Our state-of-the-art 'WARP' technology is able to achieve a quick and easy coating without uneven bumps left behind. The hidden gems of the Silicon-based resin are the water repelling and incorruptible agents that this product exploits. As well as its long lasting powers, the rate of deterioration is significantly lower than conventional products.

Directions

1. Wash off any dirt marks and wipe off water drops remaining on the car.
2. Put the liquid on the yellow side of the included sponge and then spread it on the car evenly.
3. Dry for 10-15minutes and wipe it off with a clean and soft towel.

Spec info.

300ml

Case dimension

W 230 H 296 D 545 mm

Case weight

7.7 kg

Case unit

20

Control No.

W-163

JAN code**00338 Fusso Coat F7****Black & Dark**

The Fluorine-based resin 'PTFE', will create an incredible barrier against harmful substances for up to 7 months. The newly formulated TSI effect develops an impermeable coating on the surface that remains for far longer than conventional products. Our state-of-the-art 'WARP' technology is able to achieve a quick and easy coating without uneven bumps left behind. The hidden gems of the Silicon-based resin are the water repelling and incorruptible agents that this product exploits. As well as its long lasting powers, the rate of deterioration is significantly lower than conventional products.

Directions

1. Wash off any dirt marks and wipe off water drops remaining on the car.
2. Put the liquid on the yellow side of the included sponge and then spread it on the car evenly.
3. Dry for 10-15minutes and wipe it off with a clean and soft towel.

Spec info.

300ml

Case dimension

W 230 H 296 D 545 mm

Case weight

7.7 kg

Case unit

20

Control No.

W-164

JAN code

00339 Fusso Coat F7**Pearl & Metallic**

The Fluorine-based resin 'PTFE', will create an incredible barrier against harmful substances for up to 7 months.
The newly formulated TSI effect develops an impermeable coating on the surface that remains for far longer than conventional products.
Our state-of-the-art 'WARP' technology is able to achieve a quick and easy coating without uneven bumps left behind. The hidden gems of the Silicon-based resin are the water repelling and incorruptible agents that this product exploits. As well as its long lasting powers, the rate of deterioration is significantly lower than conventional products.

Directions

1. Wash off any dirt marks and wipe off water drops remaining on the car.
2. Put the liquid on the yellow side of the included sponge and then spread it on the car evenly.
3. Dry for 10-15minutes and wipe it off with a clean and soft towel.

Spec info.

300ml

Case dimension

W 230 H 296 D 545 mm

Case weight

7.7 kg

Case unit

20

Control No.

W-165

JAN code

4 975759 003397

00089 Fusso Coat Speed & Barrier**White**

The Fluorine-based pure resin coating is able to repel water, oil, and other similar substances from your car.
Although the entire process is very easy because wiping off is NOT necessary, this product can last up to 9 months without losing its effect.
The super micro fiber cloth is included.

Directions

1. Remove the sand or dirt from the car with water and wipe off any water drops remaining on the surface.
2. Shake the bottle well, put the liquid on the included towel and then spread it on the car as evenly as possible.

Spec info.

300ml

Case dimension

W 305 H 235 D 520 mm

Case weight

9.5 kg

Case unit

20

Control No.

W-126

JAN code

4 975759 000891

00091 Fusso Coat Speed & Barrier**Light color**

The Fluorine-based pure resin coating is able to repel water, oil, and other similar substances from your car.
Although the entire process is very easy because wiping off is NOT necessary, this product can last up to 9 months without losing its effect.
The super micro fiber cloth is included.

Directions

1. Remove the sand or dirt from the car with water and wipe off any water drops remaining on the surface.
2. Shake the bottle well, put the liquid on the included towel and then spread it on the car as evenly as possible.

Spec info.

300ml

Case dimension

W 305 H 235 D 520 mm

Case weight

9.5 kg

Case unit

20

Control No.

W-127

JAN code

4 975759 000914

00093 Fusso Coat Speed & Barrier**Dark color**

The Fluorine-based pure resin coating is able to repel water, oil, and other similar substances from your car.
Although the entire process is very easy because wiping off is NOT necessary, this product can last up to 9 months without losing its effect.
The super micro fiber cloth is included.

Directions

1. Remove the sand or dirt from the car with water and wipe off any water drops remaining on the surface.
2. Shake the bottle well, put the liquid on the included towel and then spread it on the car as evenly as possible.

Spec info.

300ml

Case dimension

W 305 H 235 D 520 mm

Case weight

9.5 kg

Case unit

20

Control No.

W-128

JAN code

4 975759 000938

00087 Fusso Coat Speed & Barrier Hand Spray**Light color**

This is a product with a wipe-free guarantee!

Washing the car before application is not always necessary, because this cannot only repel water and oil from damaging your car, but also remove dirt marks unless it is not that stubborn.

The effect of the fluorine power makes it so that ritual car washing is almost entirely forgotten. Both men and women can use this product in order to complete an equally near-perfect masterpiece, without the sticky and smelly after-effect most other coatings have, without petroleum-free formulation.

Directions

* Wash off dirt in advance to protect from scratches.

1. Shake the bottle well.
2. Spray it on the car and spread it as evenly as possible with the included towel.

*Refold it and use another clean side when it becomes hard to wipe.

Spec info.

400ml

Case dimension

W 415 H 240 D 316 mm

Case weight

11.5kg

Case unit

20

Control No.

W-166

JAN code

4 975759 000877

00088 Fusso Coat Speed & Barrier Hand Spray**Dark color**

This is a product with a wipe-free guarantee!

Washing the car before application is not always necessary, because this cannot only repel water and oil from damaging your car, but also remove dirt marks unless it is not that stubborn.

The effect of the fluorine power makes it so that ritual car washing is almost entirely forgotten. Both men and women can use this product in order to complete an equally near-perfect masterpiece, without the sticky and smelly after-effect most other coatings have, without petroleum-free formulation.

Directions

* Wash off dirt in advance to protect from scratches.

1. Shake the bottle well.
2. Spray it on the car and spread it as evenly as possible with the included towel.

*Refold it and use another clean side when it becomes hard to wipe.

Spec info.

400ml

Case dimension

W 415 H 240 D 316 mm

Case weight

11.5kg

Case unit

20

Control No.

W-167

JAN code

4 975759 000884

00298 Fusso Coat 12 Months Wax**Light Color**

Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the car body.

Directions

* Be sure that your car is compatible with this product in advance.

1. Wash off sandy dust and the other unwanted residue, and dry car body before use. If heavily soiled, remove any dirt in advance, because this product does NOT include cleaning capability.
2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.
3. After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish.

*We recommend using "Fukupika" series as daily maintenance.

Spec info.

200g

Case dimension

W 636 H 183 D 257 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-95

JAN code

4 975759 002987

00300 Fusso Coat 12 Months Wax**Dark Color**

Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the car body.

Directions

* Be sure that your car is compatible with this product in advance.

1. Wash off sandy dust and the other unwanted residue, and dry car body before use. If heavily soiled, remove any dirt in advance, because this product does NOT include cleaning capability.
2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.
3. After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish.

*We recommend using "Fukupika" series as daily maintenance.

Spec info.

200g

Case dimension

W 636 H 183 D 257 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-96

JAN code

4 975759 003007

00157 TRIZ

Our state-of-the-art Silicon-based resin achieves groundbreaking breakthroughs, in achieving high levels of scratch free, incorruptible glossy finishes.

Warning: Such near-professional finishing products may become addicting to all that use TRIZ.

Making it seem like a thin layer of glass is protecting your car, this product prevents dirt and other materials from tainting your car.

Directions

1. Spray on the wet car body.
2. Spread it on the surface as evenly as possible with the included sponge.
3. Rinse extra residue with water, and wipe off with the towel.

*** 'Micro Fiber Chema' does not require you to rinse after step 2.

Spec info.

100ml

Case dimension

W 320 H 177 D 476 mm

Case weight

4.1 kg

Case unit

20

Control No.

W-200

JAN code

4 975759 001577

00158 TRIZ VALUE SET

Our state-of-the-art Silicon-based resin achieves groundbreaking breakthroughs, in achieving high levels of scratch free, incorruptible glossy finishes.

Making it seem like this layer of glass is protecting your car, this product prevents dirt and other materials from tainting your car. 'Micro Fiber Chema' and 'Clay Cleaner' are included, therefore you can make perfect ground and achieve more beautiful finish.

Directions

1. Remove dirt, iron powder and other unwanted residue with the included clay cleaner after car was washed.
2. Spray TRIZ on wet car body.
3. Spread it on the surface as evenly as possible with the included sponge.
4. Wipe it off with the included 'Micro Fiber Chema'.

Spec info.

100ml (A special sponge / Micro Fiber Chema / A Clay Cleaner)

Case dimension

W 282 H 212 D 630 mm

Case weight

6.9 kg

Case unit

20

Control No.

W-202

JAN code

4 975759 001584

00159 TRIZ X2

Our state-of-the-art Silicon-based resin achieves groundbreaking breakthroughs, in achieving high levels of scratch free, incorruptible glossy finishes. 2 bottles are included. (One bottle is for 2 big-size cars.)

We recommend this to the big-size car owners or people washing cars frequently.

Directions

1. Spray on the wet car body.
2. Spread it on the surface as evenly as possible with the included sponge.
3. Rinse extra residue with water and then wipe it off with the towel.

*** 'Micro Fiber Chema' does not require you to rinse after step 2.

Spec info.

100ml x 2
Pitasupo (Special Sponge) x 2

Case dimension

W 370 H 212 D 544 mm

Case weight

7.4 kg

Case unit

20

Control No.

W-203

JAN code

4 975759 001591

00154 TRIZ TRIAL SET

You can apply it onto your car as soon as after purchase, because a spray bottle, a sponge and a towel, which are necessary to see TRIZ's glossing effect, are all included.

And a trigger pump bottle helps you work more easily.

Directions

1. Use water to remove sand or dirt in advance.
2. Shake the bottle well, turn the stopper to <OPEN>, and then spray it on the surfaces where water drops remain.
3. Spread it with the included sponge as evenly as possible.
4. Wipe it off with the included cloth, after washing off the redundant component.

Spec info.

50ml
A sponge / A towel

Case dimension

W 516 H 249 D 210 mm

Case weight

3.1 kg

Case unit

20

Control No.

W-204

JAN code

4 975759 001546

00160 TRIZ PREMIUM

This is our brand new flagship item of "TRIZ" that shortens the entire process; Spreading with a sponge and washing off extra residue are NOT necessary. The new formula which creates a thicker coating in a flash achieved ultimate super shiny coating, at the same time as the workability was improved. Furthermore, the perfect composition of some kinds of Silicon-based resins achieves the smooth and sleek car body! "TRIZEX Premium Cloth" is included to bring out the maximum effect of TRIZ Premium.

Directions

1. Use water to remove sand or dirt in advance.
2. Shake the bottle well, turn the stopper to <OPEN>, and then spray it on the surfaces where water drops remain.
3. Wipe it off by squeezing water of the cloth, then it is finished.

Spec info.

100ml
A TRIZEX Premium Cloth

Case dimension

W 496 H 210 D 251 mm

Case weight

4.5 kg

Case unit

20

Control No.

W-210

JAN code**00389 PRISM SHIELD**

You can use it even on the wet car. All you need to do is spray and wipe it off with the included micro fiber cloth. It brings out all effects of "gloss", "water repellence" and "anti-fouling", and makes your car look cool. The effect lasts far longer and makes daily maintenance easier, when using this on the dry car. Not only can you use it for car body, but also for unpainted parts made of resin such as car visors or around wipers. Any colors of cars are compatible with this product.

Directions

1. Remove dirt or dust with water.
2. Shake the bottle well and take off the stopper at the lever.
3. Spray it on the surface and wipe it off.

Spec info.

220ml

Case dimension

W 275 H 225 D 570 mm

Case weight

7.7 kg

Case unit

20

Control No.

W-175

JAN code**00161 Quick Coat Spray -Water Repellent-**

Though the entire process is very easy, the incredible water repellent effect of Silicon-based resin coating lasts up to 60days and protects your car. It is hard to become a oil film, even if it adheres to the glass. You can apply it even on unpainted resin parts such as tires or wheels, therefore, the car will be coated in a flash. Any colors of cars are compatible with this product.

Directions

- * Shake the bottle well before use.
1. Remove dirt with water and rinse well.
 2. Spray it on the surface.
 3. Pour water over the car to spread the liquid.
- * Spreading with a sponge is NOT necessary!
4. Wipe it off with the include cloth.

Spec info.

250ml
A special micro fiber cloth

Case dimension

W 666 H 219 D 331 mm

Case weight

7.2 kg

Case unit

20

Control No.

W-209

JAN code**03133 LIGHT ONE**

This is a special cleaner for the parts made of transparent resin such as headlights, wipers or tail lamps. 2 kinds of liquid are included; "Base Cleaner", which cleans foggy or yellowed headlights and so on, and "Hard Top Coat", which prevents deterioration caused by UV rays or dirt at the same time as creates gloss. High transparency lasts for a long period and the entire process takes only 2 steps; 'polish' and 'spread'. A special sponge and a cloth are included.

Directions

- *Remove dirt in advance.
1. Shake the bottle of "Base Cleaner" and put the liquid on the included cloth. Make sure the dirt on the parts are fading away when polishing.
 2. Wipe it off with the clean side of the cloth.
 3. Shake the bottle of "Hard Top Coat", put the liquid on the included sponge and then spread it evenly.
 4. Spread it evenly again to fade unevenness with the opposite side of the sponge after drying for about 1 minute.
- *The coating takes 3-4 days to harden completely. Do not touch or wet the car for 24 hours after applying.

Spec info.

Base Cleaner 50ml
Coating Liquid 8ml

Case dimension

W 252 H 216 D 486 mm

Case weight

3.8 kg

Case unit

20

Control No.

E-56

JAN code

03144 Nano Hard Clear

It restores the transparency and vivid color like a new car, when you apply this product on transparent resin parts such as headlights, wipers or car-visors which lost transparency by deterioration after they have been used for a long time. The effect of "Crystal blue Coating" makes yellowing transparent resin beautiful. Unlike the temporal lustering agents made of Silicone Oil or so on, it creates thin-film glass coating on the surface made of resin. Furthermore, the effect lasts for more than 6 months, at the same time it brings out high water repellency and prevents deterioration of resin itself.

Directions

1. Remove dirt or oil completely in advance. If you use water to do, dry until no water drops remains.

* We recommend masking around the area that you will apply.

2. Wear the included gloves and shake the bottle well. Afterward, put the liquid on the included sponge and spread it evenly.

3. Spread it evenly again with another clean sponge. Do not use the sponge which you already used.

* Do not touch or wet the car for 24 hours after applying. And the coating takes 3-4 days to harden completely.

Spec info.

8ml

Case dimension

W 235 H 188 D 454 mm

Case weight

2.0 kg

Case unit

50

Control No.

E-55

JAN code**03134 BLACK PARTS ONE -Unpainted Resin Parts Refresh Kit-**

This product is for the unpainted resin parts such as a part of a bumper or around wipers. 2 kinds of liquid are included in this package; 'Liquid Binder', which removes dirt marks from the surface of resin parts, and 'Hard Clear Coat', which creates Silicon-based thick and hard coating. This coating is hard to soften and get dirty, therefore, it can keep your car body in good condition for a long time.

Directions

* Remove any stubborn dirt marks with water and wipe off any water drops remaining on the surface in advance.

1. Shake the bottle of 'Liquid Binder' well. Put a small amount of the liquid on the included sheet and spread it evenly. Afterward, wipe it off with the clean side of the sheet.

2. Detach a piece from sponges, put the liquid of 'Hard Clear Coat' on the black side of the sponge, and then apply it evenly.

* Do not touch the car for 24 hours after applying.

* If the liquid gets on the other parts, wipe it off immediately.

Spec info.

Base Cleaner 40ml/Coating Liquid 8ml
4 special sheets / 4 special sponges

Case dimension

W 486 H 216 D 252 mm

Case weight

3.3 kg

Case unit

20

Control No.

E-57

JAN code