

**04132 Glaco Roll On**

Felt on the top of the bottle helps you apply it easily as soon as you take the cap off, without getting your hands dirty. It repels water drops while driving at a speed of 45km/h or more, and allows you to have clear vision.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Take the cap off and apply it on a dry windshield. Press the side of the bottle to let the fluid out and rub it firmly onto the windshield without splashing the fluid.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

2. After drying for 5-10 minutes, wipe it off with a slightly damp towel which is wrung out.

**Spec info.**

75ml

**Case dimension**

W 618 H 262 D 396 mm

**Case weight**

4.3 kg

**Case unit**

30

**Control No.**

G-4

**JAN code****04146 Ultra Glaco**

Our state-of-the-art technology maintains a strong coating which resists friction by wipers, dust, car-wash or cleansers, and lasts 6 times longer than conventional coating agents. The water repellency lasts up to 1 year.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Shake the bottle well with the cap on.

2. Take the cap off and apply it evenly on dry windshield.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

3. After drying for 5-10 minutes, wipe it off with a dry, clean towel, afterward dry for more than 12 hours, in order to make the coating adhere firmly to the windshield.

**Spec info.**

70ml

**Case dimension**

W 350 H 248 D 430 mm

**Case weight**

3.0 kg

**Case unit**

20

**Control No.**

G-48

**JAN code****04107 Glaco Roll On Large**

The head is twice as big as conventional one, and the bottle is designed to fit in your hand. The combination of those allows speedy and smooth work. The volume is up 60%. Needless to say, it repels water drops while driving at a speed of 45km/h or more, and allows you to have clear vision.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Take the cap off and apply it on a dry windshield. Press the side of the bottle to let the fluid out and rub it firmly onto the windshield without splashing the fluid.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

2. After drying for 5-10 minutes, wipe it off with a slightly damp towel which is wrung out.

**Spec info.**

120ml

**Case dimension**

W 286 H 231 D 571 mm

**Case weight**

4.5 kg

**Case unit**

20

**Control No.**

G-38

**JAN code****04168 Glaco Q**

It brings out long lasting water repellency without surface preparation, because it coats the glass while removing oil film. It is easy to grip and the big head helps you apply smoothly. Plus, reapplying is NOT necessary, which makes work time one third of conventional products.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Take the cap off and apply it on a dry windshield. Press the side of the bottle to let the fluid out and rub it firmly onto the windshield without splashing the fluid.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

2. After drying for 5-10 minutes, wipe it off with a slightly damp towel which is wrung out.

**Spec info.**

70ml

**Case dimension**

W 365 H 180 D 495 mm

**Case weight**

3.6 kg

**Case unit**

20

**Control No.**

G-61

**JAN code**

**04166 Glaco Roll on Long Type**

The long bottle helps you apply easily even on the center or upper parts of the glass. The surface area of felt applicator is 3 times as big as the conventional one, and the head is designed with a thin square shape that allows you to apply even under car-visors in a flash.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Take the cap off and apply it on a dry windshield. Press the side of the bottle to let the fluid out and rub it firmly onto the windshield without splashing the fluid.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

2. After drying for 5-10 minutes, wipe it off with a slightly damp towel which is wrung out.

**Spec info.**

115ml

**Case dimension**

W 560 H 145 D 650 mm

**Case weight**

5.5 kg

**Case unit**

20

**Control No.**

G-59

**JAN code**

4 975759 041665

**04167 Ultra Glaco Long Type**

The long bottle helps you apply easily even on the center or upper parts of the glass. Also, the head is designed with a thin square shape and allows you to apply even under car-visors in a flash. Once you apply it, the water repellency lasts for a long time, therefore, we recommend it to those who want more durability.

**Directions**

\* Remove dust or dirt from the windshield with water in advance.

1. Shake the bottle well with the cap on.

2. Take the cap off and apply it evenly on dry windshield.

\*Do not apply it on wet windshield otherwise it may cause damage to the surface.

3. After drying for 5-10 minutes, wipe it off with a dry, clean towel, afterward dry for more than 12 hours, in order to make the coating adhere firmly to the windshield.

**Spec info.**

115ml

**Case dimension**

W 560 H 145 D 650 mm

**Case weight**

5.5 kg

**Case unit**

20

**Control No.**

G-60

**JAN code**

4 975759 041672

**04174 GLACO Quick Type**

Just spread it on the windshield! Drying or wiping off is NOT necessary! The included pad and cloth help you spread it speedily on the wide windshield. Newly developed Silicon-resin brings out water-repellency for up to 6 months.

**Directions**

\*Remove dirt with water and wipe off water drops remaining on the windshield.

1. Shake the bottle well with the cap on.

2. Put a moderate amount of liquid on the included pad.

3. Spread it evenly on the windshield, rubbing crisscross.

\*Drying and wiping off are NOT necessary!

**Spec info.**

50ml

Pad ×1 / Cloth ×5

**Case dimension**

W 463 H 232 D 315 mm

**Case weight**

3.2 kg

**Case unit**

20

**Control No.**

G-68

**JAN code**

4 975759 041740

**04169 Glaco "W" Jet Strong**

The double-jet nozzle and more powerful gas pressure allow the spray to reach long distances. That's why, even on a wide windshield, it takes only 3 seconds to complete the coating. The durability of water repellency is increased by 50% compared to conventional repellents, which makes its effect last for a long time. The cap can be used to vent gas and after use it can conveniently be taken apart and separated for disposal.

**Directions**

<in a rainy day>

Spray it for 3 seconds, turning on the wipers.

<in a sunny day>

1. Remove dirt from the windshield and spray it.

2. Wipe it off with a slightly damp towel which is wrung out, spreading the components.

**Spec info.**

180ml

**Case dimension**

W 275 H 250 D 550 mm

**Case weight**

6.9 kg

**Case unit**

30

**Control No.**

G-64

**JAN code**

4 975759 041696

**04172 Glaco Mirror Coat Zero**

The repellent prevents water from remaining on the surface even for a moment by lining the mirror with super-fine, microscopic studs. Compared to conventional hand pump sprays, this aerosol spray creates an even coating and shortens the process.

**Directions**

\*Clean the side mirror with car shampoo or the like. If the oil-film or water repellent agent adheres, remove it with the cleaner.

1. Spray it evenly about 15 cm away from the side mirror. We recommend putting a towel around the mirror while spraying in order not to get the fluid on other parts.
2. Dry completely (in the summer for 1 hour, in the winter for 2 hours) and do not touch until it dries.

**Spec info.**

40ml

**Case dimension**

W 221 H 235 D 647 mm

**Case weight**

3.4 kg

**Case unit**

30

**Control No.**

G-65

**JAN code**

4 975759 041726

**04111 Glaco De Cleaner**

By simply spraying, it allows you to easily remove dirt, bird droppings, dead bugs and so on. It is also creates an easy to wipe off and long lasting clean effect. It repels at a speed 60 km/h or more. Eco-friendly, non-gas type.

**Directions**

1. Shake the bottle well and turn the nozzle to <ON>.
2. Spray it 15-20 cm away from the glass. If you use it on the inner side of the glass, we recommend spraying onto a towel and then wipe with it in order not to get the fluid on other parts.
3. Wipe off dirt with a clean towel while spreading the liquid.

**Spec info.**

400ml

**Case dimension**

W 293 H 239 D 487 mm

**Case weight**

14.5kg

**Case unit**

30

**Control No.**

G-36

**JAN code**

4 975759 041115

**04144 Glaco Glass Cleaner**

By just wiping the windows, it creates a water repellent coating. Not only does it remove dirt the inside of the car, but it also prevents dirt from sticking.

**Directions**

\*Remove dust from the glass in advance.

1. Shake the can well and spray it 15-20cm away from the glass.
2. Wipe it off completely with a soft towel as soon as it dries.

**Spec info.**

330ml

**Case dimension**

W 390 H 330 D 210 mm

**Case weight**

12.5kg

**Case unit**

30

**Control No.**

G-18

**JAN code**

4 975759 041443

**04115 Glaco Glass Cleaning Wipe**

If you use it on the coated glass, it restores the water-repellent coating. You can also clean the inner side of the glass with it.

**Directions**

1. Take out a sheet from the package.
2. Fold it as needed, and wipe on the glass.
3. If it gets dirty, refold it and continue to use a clear surface.

**Spec info.**

10 sheets

**Case dimension**

W 352 H 224 D 410 mm

**Case weight**

6.0 kg

**Case unit**

60

**Control No.**

G-34

**JAN code**

4 975759 041153

**04151 Glaco Washer Eco**

Eco-friendly recyclable plastic bottle. Even if you dilute it 3 times, the effect will not change. Amazing water repellency allows you to have clear vision by just using the washer jets and wiping.

**Directions**

1. Take out the nozzle from the bottle and insert it into the pour spout.
2. Take off the cap of washer tank, and pour in this product (either original fluid or diluted one).
3. Use the washer jets and turn on the wipers to remove dirt from the windshield.

**Spec info.**

2000ml

**Case dimension**

W 370 H 275 D 445 mm

**Case weight**

22.5kg

**Case unit**

10

**Control No.**

G-58

**JAN code****04137 Glaco washer Liquid 1 Liter**

By just using the washer jets, this washer fluid removes dirt and creates a water-repellent coating on the glass at the same time. The paper package is eco-friendly. Diluting is not necessary.

**Directions**

1. Take off the cap of washer tank, and pour in this product (either original fluid or diluted one).
- \* Even if you dilute it 3 times, the effect will not change.
2. Use the washer jets and turn on the wipers to remove dirt from the windshield.

**Spec info.**

1L

**Case dimension**

W 390 H 230 D 460 mm

**Case weight**

20.0kg

**Case unit**

20

**Control No.**

G-22

**JAN code****04131 Glaco washer Liquid Super Jumbo 2800**

By simply using the washer jets and turning on the wipers, it brings out a powerful water repellent effect. It allows you to have clear vision in a flash. This 2.8L great capacity washer maintains the effect even if it is diluted by 3 times with water, therefore, you can fill an 8.4 L washer tank with this product. The bottle was designed to be convenient and easy to use.

**Directions**

1. Take out the nozzle from the bottle and insert it into the pour spout.
2. Take off the cap of washer tank, and pour in this product (either original fluid or diluted one).
3. Use the washer jets and turn on the wipers to remove dirt from the windshield.

**Spec info.**

2800ml

**Case dimension**

W 450 H 260 D 306 mm

**Case weight**

18.5kg

**Case unit**

6

**Control No.**

G-51

**JAN code****04127 Anti-Cold Glaco washer Liquid Super Jumbo 2800**

The powerful water repellent brings out its effect rain drops and also prevents snow adhesion. This 2.8L great capacity washer maintains the effect even if it is diluted by 3 times with water, therefore, you can fill an 8.4 L washer tank with this product. The original fluid will not freeze above -30°C. In the case of doubling dilution, it will not freeze above -12°C. In the case of 3 times dilution, it will not freeze above -6°C.

**Directions**

1. Take out the nozzle from the bottle and insert it into the pour spout.
2. Take off the cap of washer tank, and pour in this product (either original fluid or diluted one).
3. Use the washer jets and turn on the wipers and remove dirt from the windshield.

**Spec info.**

2800ml

**Case dimension**

W 306 H 260 D 450 mm

**Case weight**

18.5kg

**Case unit**

6

**Control No.**

G-52

**JAN code**

**04164 Glaco Deicer W-Edge**

By spraying on the glass it melts frost and ice while creating a powerful water repellent coating which will not allow it to refreeze. The detachable spatula-type Scraper and jagged edge of the cap can be used to scrape off persistent ice. You can use it even on the coated glass as well.

**Directions**

\* If the snow piles up, remove it in advance.

1. Shake the can well.
2. Spray it enough about 20cm away for the glass.

\*Use to scrape off persistent ice with the detachable spatula-type Scraper and jagged edge of the cap.

3. The snow starts melting, wipe it off with a towel or turn on the wipers.

**Spec info.**

330ml

**Case dimension**

W 306 H 217 D 381 mm

**Case weight**

7.8 kg

**Case unit**

20

**Control No.**

G-55

**JAN code****04165 Glaco Deicer Spray**

By spraying on the glass it melts frost and ice while creating a powerful water repellent coating which will not allow it to refreeze. Depending on the thickness of frost or ice you can adjust the jet pattern to "big" or "small." 450 mL of Eco-friendly non-gas spray.

**Directions**

\*If the snow piles up, remove it in advance.

1. Adjust the jet pattern to "big" or "small."
2. Spray it enough about 20 cm away from the glass.

3. The snow starts melting, wipe it off with a towel or turn on the wipers.

**Spec info.**

450ml

**Case dimension**

W 324 H 226 D 431 mm

**Case weight**

9.3 kg

**Case unit**

20

**Control No.**

G-56

**JAN code**