

09000 "Air Touch" Touch Up Paint Spray Kit

This brush type paint "Touch Up Paint" turns into an extra fine spray type paint! Surface preparation and masking are NOT necessary, because this will be not splattered. It allows you to spray accurately on desired area as if you were applying it with a brush. By simply spraying, it can achieve an unparalleled quality finish, even repairing minor scratches on the bumper and so on, unlike conventional Touch Up Paint repair.

Directions

1. Remove dirt, rust and chips completely from the surface.
2. Shake Touch Up Paint well and set it on to Air Touch.
3. Spray in on minor scratches.
4. Allow to dry.

Spec info.

80ml

Case dimension

W 225 H 280 D 684 mm

Case weight

5.3 kg

Case unit

30

Control No.

BP-17

JAN code



4 975759 090007

08018 Finish Spray For Air Touch

Spraying this product after using Air Touch to obscures the boundary line between the repaired area and the original paint to achieve a beautiful smooth result. It works well on all colors especially to metallic, pearl or mica color.

Directions

Spray 15-20cm away from the area being repaired immediately the Air Touch is applied. Spray a wider area.

Spec info.

60ml

Case dimension

W 240 H 142 D 290 mm

Case weight

3.3 kg

Case unit

30

Control No.

BP-18

JAN code



4 975759 080183

08019 Adjusting-Spray for Air Touch

Use this spray in case that your first attempt with Air Touch fails. By just spraying and wiping it off, it removes the paint and helps you reapply again. We recommend you purchase it with Air Touch in advance.

Directions

Spray on a clean cloth and wipe softly on the area where you want to remove the paint.

Spec info.

80ml

Case dimension

W 235 H 147 D 285 mm

Case weight

3.8 kg

Case unit

30

Control No.

BP-19

JAN code



4 975759 080190

09036 Spare Cap for Air Touch

By just replacing the cap with this spare one, you can use more than one color of Touch Up Paint with one Air Touch. We recommend it for those who have a two-tone painted car or more than one car. This is very convenient, because you do not have to wash it every time after use it.

Directions

1. Attach the cap to the Air Touch.
2. Try to spray for about 2 seconds.
3. Shake the Touch Up Paint well and set it up on the Air Touch.

Spec info.

1pc

Case dimension

W 415 H 115 D 523 mm

Case weight

2.0 kg

Case unit

50

Control No.

B-036

JAN code



4 975759 090366

17000 Touch Up Paint

This car body paint with the brush cap will help you repair minor scratches or chips on car body.

Directions

1. Remove dirt, dust and rust from the area being applied in advance.
2. Shake the bottle well and apply it quickly. If reapplication is necessary, do so after allowing the first coat to dry sufficiently..

Spec info.

12ml

Case dimension

W 330 H 270 D 280 mm

Case weight

9.3 kg

Case unit

360

Control No.

-

JAN code

4 975759 170006

09176 Touch Up Paint Finish Kit

This is a set including a fine brush which allows you to apply smoothly, a small palette to help you take out the paint as needed, and a special paint thinner which is useful when the paint becomes hard to apply. It allows for easier use and improves the result when you use Touch-Up paint.

Directions

1. Shake Touch Up Paint well and put a moderate amount of it on the included plate.
2. Use the included thinner as needed.
3. Put the paint on the brush tip and repair the part.

Spec info.Fine brush×1 / Small palette×1
Special thinner×1**Case dimension**

W 232 H 210 D 285 mm

Case weight

3.0 kg

Case unit

50

Control No.

B-176

JAN code

4 975759 091769

08051 Kizu Pen White**White**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-51

JAN code

4 975759 080510

08052 Kizu Pen White Pearl**White Pearl**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-52

JAN code

4 975759 080527

08053 Kizu Pen Red**Red**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-53

JAN code**08054 Kizu Pen Dark Red****Dark Red**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-54

JAN code**08055 Kizu Pen Blue****Blue**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-55

JAN code**08056 Kizu Pen Dark Green****Dark Green**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result.

The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-56

JAN code

08057 Kizu Pen Beige**Beige**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-57

JAN code**08058 Kizu Pen Yellow****Yellow**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-58

JAN code**08059 Kizu Pen Silver****Shiver**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-59

JAN code**08060 Kizu Pen Gun Metallic****Gun Metallic**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-60

JAN code

08061 Kizu Pen Black**Black**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-61

JAN code

4 975759 080619

08062 Kizu Pen Mat Black**Mat Black**

All you need to do is just draw! It takes only 60 seconds to completely repair a scratch. You can use it both on car bodies and resin bumpers. This crayon type applicator allows you to apply it smoothly even on the vertical areas while filling the scratches.

Blended corrosion resistant agent prevents rust from occurring on the damaged parts. Although the process is very easy, this is an unbelievably high performance car repair item which can withstand up to 80°C and its hardness and durability can only be removed by its own thinner. Polishing with compounds will help you get a more beautiful result. The well-selected 12 colors can cover a broad range of car body colors.

Directions

1. Remove rust, wax, dirt and water drops in advance.
2. Apply it to the area being repaired as you fill in the scratches.
3. Continue until all the scratches are filled. Afterward finish up with a polishing compound.

Spec info.

7g

Case dimension

W 140 H 210 D 240 mm

Case weight

1.3 kg

Case unit

50

Control No.

BP-62

JAN code

4 975759 080626

02101 Car Body Repair Patch**White**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.

* You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-75

JAN code

4 975759 021018

02102 Car Body Repair Patch**White Pearl**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.

* You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-76

JAN code

4 975759 021025

02103 Car Body Repair Patch**Silver Metallic**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
 2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.
- * You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-77

JAN code**02104 Car Body Repair Patch****Black**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
 2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.
- * You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-78

JAN code**02105 Car Body Repair Patch****Red**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
 2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.
- * You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-79

JAN code**02106 Car Body Repair Patch****Blue Metallic**

By just affixing directly over scratches found on surfaces of a car, this newly developed, super thin paint sheet can hide scars easily. The colored stickers can make scratches virtually invisible. The specially treated adhesives provide both high weather resistance and durability. The product lineup consists of six different versatile colors: White, White Pearl, Silver Metallic, Black, Red and Blue Metallic.

Directions

1. Remove dirt and other unwanted residue from desired area.
 2. Take out the sheet from the release film with clean hands and attach it firmly to the desired area while making sure there are no creases.
- * You can cut the sheet freely as needed.

Spec info.

1 sheet (80×150mm)

Case dimension

W 256 H 122 D 206 mm

Case weight

1.5 kg

Case unit

50

Control No.

BP-80

JAN code

08000 Body Paint

Straight acrylic resins paint gives cars a glossy shine as if they had been finished in a kiln. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratch regardless of its size.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Specifically metallic and pearl mica colors are required enough to do it.
3. Spray it 20-30cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 080008

18000 Body Paint (Pearl Colors)

Straight acrylic resins paint gives cars a glossy shine as if they had been finished in a kiln. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratch regardless of its size.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Specifically metallic and pearl mica colors are required enough to do it.
3. Spray it 25-30cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 180005

08006 Urethane Clear

This double fluid can achieve a thick coating, smoothness, and beauty. Its hard coating capability brings out the beautiful hue of Atelier 99 Body Paint and maintains it for a long time.

Directions

1. Insert the pin into the can and leave it up side down for 5-10 minutes.
2. Shake the can well (20-30 times).
3. Spray it 15-25cm away from the area being repaired 2-5 minutes after painting. Do not try to make it finish at once, but respray evenly a few times. Be sure to dry for 10 minute before respraying.

Spec info.

320ml

Case dimension

W 306 H 224 D 385 mm

Case weight

8.0 kg

Case unit

20

Control No.

B-44

JAN code

4 975759 080060

08002 Body Paint (Clear)**Clear**

Straight acrylic resins paint gives cars a glossy shine as if they were new. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratches regardless of its size.

<Clear> It gives a deep gloss and protects the metallic or pearl mica color paint.

Directions

1. Shake the can well to mix the paint.
 2. 2-5 minutes after painting with Body Paint, spray it evenly on a larger area than the painted area and 15-25cm away from there, moving the can parallel to the surface.
 3. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
- * We recommend you use Body Paint (Gradator) afterward. it will prevent spray dust from occurring and produces more beautiful result.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

10.0kg

Case unit

30

Control No.

BP-33

JAN code

4 975759 080022

08003 Body Paint (Primary Surfacers)**Primary Surfacers**

Straight acrylic resins paint gives cars a glossy shine as if they were new. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratches regardless of its size.

<Primary Surfacers> Not only does it resist rust, but it also allows the paint to adhere firmly to the top coating.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint every time before spraying.
3. Spray it 15-25cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

10.0kg

Case unit

30

Control No.

B-34

JAN code

4 975759 080039

08030 Body Paint (White Primary Surfacers)**White Primary Surfacers**

Straight acrylic resins paint gives cars a glossy shine as if they were new. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratches regardless of its size.

<White Primary Surfacers> If you use this as surface preparation on white pearl color or the light color such as red or yellow, it allows you to get more beautiful result.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint every time before spraying.
3. Spray it 15-25cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

10.0kg

Case unit

30

Control No.

BP-31

JAN code

4 975759 080305

08004 Body Paint (Gradator)**Gradator**

Straight acrylic resins paint gives cars a glossy shine as if they were new. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratches regardless of its size.

<Gradator> It obscures the boundary line between the repaired area and the original paint. It also has an effect of smoothing dust.

Directions

1. Shake the can well.
2. Within 2 minutes after painting, spray it around spray-dust evenly 15-20cm away from the desired area.
3. To prevent clogging: When finished, spray it upside-down for 2 seconds to let the air out. Afterward, wipe off the nozzle, put the cap back on and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

10.0kg

Case unit

30

Control No.

B-35

JAN code

4 975759 080046

08005 Body Paint (Mat Black)**Mat Black**

Straight acrylic resins paint gives cars a glossy shine as if they were new. It is easy to spray beautifully. Furthermore, it has 4 pattern multi-function nozzle, 'wide or spot' and 'longitudinal or width ways', which allows you to repair any scratches regardless of its size.

<Mat Black> Use this for the bumper or preventing glare on the hood.

Directions

1. Shake the can well and spray it 15-20cm away from the desired area.
2. To prevent clogging: When finished, spray it upside-down for 2 seconds to let the air out. Afterward, wipe off the nozzle, put the cap back on and store.

Spec info.

300ml

Case dimension

W 410 H 340 D 190 mm

Case weight

10.0kg

Case unit

30

Control No.

B-36

JAN code

4 975759 080053

08011 Body Paint Mini Clear**Clear**

This is enough to repair a minor scratch measuring about 10cm by 10cm, because there is enough to reapply even on the A4 sizes range 4 times.

<Clear> It gives a deep gloss and protects the metallic or pearl mica color paint.

Directions

1. Shake the can well to mix the paint.
 2. 2-5 minutes after pearl mica color/metallic color painting, spray it evenly on a larger area than the painted area and 15-25cm away from there, moving the can parallel to the surface.
 3. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
- * When you use Body Paint (Gradator) afterward, within 2 minutes after painting, spray it around spray-dust evenly 15-20cm away from the desired area.
- * To prevent clogging: When finished, spray it upside-down for 2 seconds to let the air out. Afterward, wipe off the nozzle, put the cap back on and store.

Spec info.

120ml

Case dimension

W 275 H 144 D 332 mm

Case weight

3.5 kg

Case unit

30

Control No.

BP-37

JAN code**08013 Body Paint Mini Primary Surfacer****Primary Surfacer**

This is enough to repair a minor scratch measuring about 10cm by 10cm, because there is enough to reapply even on the A4 sizes range 4 times.

<Primary Surfacer> Not only does it resist rust, but it also allows the paint to adhere firmly to the top coating.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint every time before spraying, making sure the ball inside clacks.
3. Spray it 15-25cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

120ml

Case dimension

W 275 H 144 D 332 mm

Case weight

3.5 kg

Case unit

30

Control No.

BP-39

JAN code**08014 Body Paint Mini Primary Surfacer(White)****White Primary Surfacer**

This is enough to repair a minor scratch measuring about 10cm by 10cm, because there is enough to reapply even on the A4 sizes range 4 times. New developed White Primer Surfacer will look great on white pearl colored paint.

<White Primary Surfacer> If you use this as surface preparation on white pearl color or the light color such as red or yellow, it allows you to get more beautiful result.

Directions

1. Remove dust, oil, wax and rust from the area being repaired in advance. We recommend you polish the desired area with a sandpaper to make it smooth in order to get more beautiful results.
2. Shake the can well to mix the paint every time before spraying, making sure the ball inside clacks.
3. Spray it 15-25cm away from the area. Do not try to finish at once, but spray it thinly and evenly 2-3 times. Dry for 10 minutes before respraying.
4. In order to prevent the nozzle from clogging, spray it upside-down for approximately 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

120ml

Case dimension

W 275 H 144 D 332 mm

Case weight

3.5 kg

Case unit

30

Control No.

BP-40

JAN code**08012 Body Paint Mini Gradator****Gradator**

This is enough to repair a minor scratch measuring about 10cm by 10cm, because there is enough to reapply even on the A4 sizes range 4 times.

<Gradator> It obscures the boundary line between the repaired area and the original paint. It also has an effect of smoothing dust.

Directions

1. Shake the can well.
2. Within 2 minutes after painting, spray it around spray-dust evenly 15-20cm away from the desired area.
3. To prevent clogging: When finished, spray it upside-down for 2 seconds to let the air out. Afterward, wipe off the nozzle, put the cap back on and store.

Spec info.

120ml

Case dimension

W 275 H 144 D 332 mm

Case weight

3.5 kg

Case unit

30

Control No.

BP-38

JAN code

09170 Silicone Off 300ml

This basic item is for an essential part of the process of paint repairing: oil removal. The larger size bottle allows you to remove oil from wide areas or more frequently. If you remove the oil before masking, it enhances the adhesive effect.

Directions

1. Remove oil and wax from the area being repaired in advance.
2. Shake the can well and spray.
3. Wipe it off with a soft clean cloth before it gets dry.

[Spec info.](#)

300ml

[Case dimension](#)

W 337 H 179 D 408 mm

[Case weight](#)

10.0kg

[Case unit](#)

30

[Control No.](#)

B-170

[JAN code](#)

4 975759 091707

09209 Silicone Off 150ml

This is an essential item for repair because it helps with oil removal and cleaning, which is necessary for repairing and attaching.

Directions

1. Remove oil and dirt with water and wipe off remaining water drops in advance.
2. Shake the can well and spray on the desired area.
3. Wipe it off with a soft clean cloth before it gets dry.

[Spec info.](#)

150ml

[Case dimension](#)

W 275 H 144 D 332 mm

[Case weight](#)

3.6 kg

[Case unit](#)

30

[Control No.](#)

B-209

[JAN code](#)

4 975759 092094

08015 Paint Remover

Just spray and wipe it off and this product will easily remove paint. There is no doubt that this spray type thinner will help you a lot while repairing.

Directions

1. With masking, cover over the area where the thinner should not go.
2. Stand 15-25cm away from the desired area and spray evenly.
3. Wipe it off with a clean soft cloth before it gets dry.

[Spec info.](#)

300ml

[Case dimension](#)

W 337 H 190 D 408 mm

[Case weight](#)

10.0kg

[Case unit](#)

30

[Control No.](#)

B-30

[JAN code](#)

4 975759 080152

08075 Under Coat

This paint protects lower parts of car such as wheel well. It creates a thick-film coating which creates a cushioning effect.

Directions

1. Remove dust, oil, and rust from the area being repaired.
2. Shake the can well, stand 30-40cm away from the area, and spray.

[Spec info.](#)

420ml

[Case dimension](#)

W 344 H 224 D 276 mm

[Case weight](#)

10.0kg

[Case unit](#)

20

[Control No.](#)

B-46

[JAN code](#)

4 975759 080756

08070 Chassis Black

This paint has dust resistance and protects the chassis.

Directions

1. Remove dust, oil, chips, and rust from the desired area. Brushing or polishing with the sandpaper will help you get rid of rust well.
2. Shake the can well to mix the paint inside. Even if you hear the ball inside clanking, continue shaking to mix well.
3. Stand 30-40cm away from the surface and spray.
4. Do not overspray to finish at once. Spray thinly 2-3 times for a more beautiful result, shaking in between each coat.
5. To prevent clogging: when finished spray it upside-down for 2 seconds to let the air out. Afterward, wipe off the nozzle, put the cap back on, and store.

Spec info.

420ml

Case dimension

W 348 H 225 D 271 mm

Case weight

9.2 kg

Case unit

20

Control No.

B-45

JAN code

4 975759 080701

08020 Heatproof Paint Black**Black**

This heat-resistance silicone resin paint allows you to apply it to the high temperature parts such as the muffler or around engine.

Directions

1. Remove dust, oil, chips, and rust from the desired area. Use Atelier 99 Silicone Off (sold separately) to remove oil.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 337 H 179 D 408 mm

Case weight

10.0kg

Case unit

30

Control No.

BP-1

JAN code

4 975759 080206

08021 Heatproof Paint Silver**Silver**

This heat-resistance silicone resin paint allows you to apply it to the high temperature parts such as the muffler or around engine.

Directions

1. Remove dust, oil, chips, and rust from the desired area. Use Atelier 99 Silicone Off (sold separately) to remove oil.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 337 H 179 D 408 mm

Case weight

10.0kg

Case unit

30

Control No.

BP-2

JAN code

4 975759 080213

08027 Heatproof Paint Titanium Color**Titanium Color**

This heat-resistance silicone resin paint allows you to apply it to the high temperature parts such as the muffler or around engine.

Directions

1. Remove dust, oil, chips, and rust from the desired area. Use Atelier 99 Silicone Off (sold separately) to remove oil.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 337 H 179 D 408 mm

Case weight

10.0kg

Case unit

30

Control No.

BP-7

JAN code

4 975759 080275

07531 Wheel Color Paint W31**Candy Green**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075318

07532 Wheel Color Paint W32**Candy Smoke**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075325

07533 Wheel Color Paint W33**Candy Blue**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075332

07534 Wheel Color Paint W34**Candy Red**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075349

07535 Wheel Color Paint W35**Candy Base Coat Silver**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075356

07536 Wheel Color Paint W36**Gold**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075363

07537 Wheel Color Paint W37**Silver**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075370

07538 Wheel Color Paint W38**Mat Black**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075387

07539 Wheel Color Paint W39**Black**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075394

07540 Wheel Color Paint W40**White**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075400

07541 Wheel Color Paint W41**Red**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075417

07542 Wheel Color Paint W42**Clear**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

300ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075424

07543 Wheel Color Paint W43**Gun Metallic**

Easy to apply yet super durable! Surface preparation is NOT necessary. With this acrylic lacquer paint, you apply it directly to wheels or chrome parts. The product lineup consists of 13 colors including a candy color!

Directions

1. Remove dust, oil, chips, and rust from the desired area. Polishing with a sandpaper in advance will help you get more beautiful result.
2. Shake the can well to mix the paint, making sure the ball inside clanks. Shake it every time before spraying.
3. Stand 15-25cm away from the surface and spray. Do not overspray to finish at once. Spray parallel and thinly 2-3 times for beautiful results. *Dry for 5 minute every time before respraying.
4. Hardens by heated after drying. Therefore, drive for more than 1 hour and heat it to make it harden after drying for more than 1 hour. Do not touch the painted area until it hardens completely.
5. In order to prevent the nozzle from clogging, spray it upside-down for about 2 seconds to let the air out after using. Afterward, wipe off the nozzle well, put the cap back on, and store.

Spec info.

301ml

Case dimension

W 290 H 365 D 430 mm

Case weight

17.2kg

Case unit

48

Control No.

-

JAN code

4 975759 075431

09133 Tire Marker White**White**

You can repair the white letter tire paint on RVs and so on. The pen tip is made of a hard-fiber core, which helps your apply it beautifully to tires.

Directions

1. Wash off dirt, wax and oil with a detergent agent and dry completely. Do not apply on the heated tires.
2. Shake the bottle well with the cap on and slowly press it onto a cardboard a couple times until the paint comes out.
3. Start painting on tires after testing on scrap cardboard. If reapplication is necessary, do so after the first coat dries completely .
4. If it gets outside of the area, use the included pen to fix it after it dries.

Spec info.

8ml

Case dimension

W 270 H 220 D 220 mm

Case weight

2.1 kg

Case unit

50

Control No.

B-133

JAN code

4 975759 091332

07561 Wheel Touch Up Paint W61**Gold**

You can easily repair minor scratches or the paint coming off with this brush type paint.

Directions

1. Remove dirt and rust from the area being applied and use Atelier 99 Silicone Off to get rid of oil.
2. Shake the bottle well and apply it quickly.

Spec info.

12ml

Case dimension

W 288 H 225 D 308 mm

Case weight

3.0 kg

Case unit

100

Control No.

-

JAN code

4 975759 075615

07562 Wheel Touch Up Paint W62**Silver**

You can easily repair minor scratches or the paint coming off with this brush type paint.

Directions

1. Remove dirt and rust from the area being applied and use Atelier 99 Silicone Off to get rid of oil.
2. Shake the bottle well and apply it quickly.

Spec info.

12ml

Case dimension

W 288 H 225 D 308 mm

Case weight

3.0 kg

Case unit

100

Control No.

-

JAN code

4 975759 075622

09187 Disposable Mini Cloth

This paper cloth is made of a pulp whose lumpy surface will not allow dirt to remain. It absorbs both water and oil very well and prevents dust or residue from occurring, which will help you a lot when repairing.

Spec info.

40sheets

Case dimension

W 643 H 224 D 351 mm

Case weight

7.5 kg

Case unit

50

Control No.

B-187

JAN code

4 975759 091875