

09120 Masking Tape

With this 18mm masking tape, you can protect the car from the unwanted paint while painting or coating the car body or the glass.

Directions

1. Cover the area which you do not want to get paint on by using this tape and newspapers and so on.
2. After the paint is almost dry, pull the tape slowly to peel it off.

Spec info.

18mm×18m

Case dimension

W 430 H 240 D 370 mm

Case weight

9.5 kg

Case unit

30

Control No.

B-120

JAN code**09121 Wide Masking Tape**

It is very convenient to do masking in a flash around emblems or door handles.

Directions

1. Cover the area which you do not want to get paint on by using this tape and newspapers and so on.
2. After the paint is almost dry, pull the tape slowly to peel it off.

Spec info.

36mm×9m

Case dimension

W 530 H 320 D 370 mm

Case weight

11.5kg

Case unit

30

Control No.

B-121

JAN code**09119 Crepe Masking Tape**

This crepe tape allows you to trace curved parts or lines. It is also highly elastic, which helps you peel it off cleanly but quickly.

Directions

1. Cover the area which you do not want to get paint on by using this tape and newspapers and so on.
2. After the paint is almost dry, pull the tape slowly to peel it off.

Spec info.

18mm×8m

Case dimension

W 205 H 70 D 223 mm

Case weight

9.5 kg

Case unit

30

Control No.

B-119

JAN code**09220 Heatproof Crepe Masking Tape**

This is a special blended polyolefin, which fits to any complicated shape and allows you to trace the curved parts accurately as you want. It makes the boundary line come out clearly, which helps you to paint accurately. It can also resist heat up to 150°C, therefore, you can use it during a baking paint.

Directions

1. Cover the area which you do not want to get paint on by using this tape and newspapers and so on.
2. After the paint is almost dry, pull the tape slowly to peel it off.

Spec info.

1pc (10mm×7m)

Case dimension

W 330 H 396 D 210 mm

Case weight

4.3 kg

Case unit

30

Control No.

B-220

JAN code

09150 Masking Sheet

You can cover over a wide area quickly without newspaper. This specially-treated masking sheet does not allow the paint to drip off, so it is used by professionals. Static electricity allows the sheet stick to the surface and is hardly affected by wind, which helps you do masking quickly and easily.

Directions

1. Press the edge of the sheet firmly in order to prevent the paint from soaking in.
2. Cut the sheet as needed before spreading it out.
3. Tape up the edge of the sheet.

Spec info.

1pc :55cm×10m

Case dimension

W 640 H 250 D 210 mm

Case weight

4.0 kg

Case unit

50

Control No.

B-150

JAN code

4 975759 091509

09081 Double Faced Adhesive Tape

This double sided adhesive tape has strong adherence and weather resistant abilities. As time goes by, its adherence gets stronger. We recommend you to use this to attach emblems.

Directions

1. Remove dust, water drops or oil cleanly from the area being attached. Atelier 99 Silicone Off is convenient for that.
2. Cut the tape as needed, peel off the release paper and attach it, pressing it on firmly.

Spec info.

20mm×2.5m

Case dimension

W 330 H 240 D 220 mm

Case weight

2.5 kg

Case unit

50

Control No.

B-081

JAN code

4 975759 090816

09207 Dashboard Tape

The double sided adhesive tape can adhere firmly to materials used on the dashboard such as polypropylene (PP) or polyvinyl chloride(PVC). It allows the glue residue and so on to remain and prevents dashboard material from damage after being peeled off.

Direction

1. Remove water drops, oil or dirt from the area being attached.
2. Cut the tape as needed and peel off the blue release paper and then attach what you want to attach.
3. Peel off the white release paper and attach it to the surface of the dashboard.

Spec info.

4sheets (100×25mm)

Case dimension

W 235 H 215 D 240 mm

Case weight

2.0 kg

Case unit

50

Control No.

B-207

JAN code

4 975759 092070

09210 Butyl Tape

The clay-like material which has strong adherence, allows you to use it to anywhere.

Directions

1. Remove water drops, oil, wax or dust from the area being attached. Atelier 99 Silicone Off is very convenient to remove oil.
2. Cut the tape as needed with scissors
3. press it on with fingers or a spatula to adhere to the surface.
4. If you need to fill in the gap or hole, you can shape it as you want and use it.

Spec info.

18mm×2.7m

Case dimension

W 275 H 215 D 730 mm

Case weight

8.8 kg

Case unit

50

Control No.

B-210

JAN code

4 975759 092100

09083 Instant Jelly Glue

You can use this jelly-type instant glue even on a vertical plane or bumpy surface and it won't drip off. You can adjust the position after attaching because the hardening speed is slow.

Directions

1. Remove dust, oil and dirt from the area being applied, and dry it well.
2. Drop a small amount of the liquid as a dot or line on one side of the item being attached.
3. It will not move 30-60 seconds after attached, and it hardens completely after 24 hours.

Spec info.

3g

Case dimension

W 250 H 200 D 220 mm

Case weight

1.5 kg

Case unit

50

Control No.

B-083

JAN code**09084 Rubber & Leather Glue**

It keeps the elasticity after being attached and is very convenient when attaching something soft. A spatula is included.

Directions

1. Remove dust, oil, rust or dirt from both sides of the item being attached, and dry it well. In order to enhance its adherence, rub the surface being attached with a sandpaper, especially when you attach it on leather or rubber.
2. Apply the liquid on both side of the surface evenly and dry it well for 10-30 minutes.
3. Press it on firmly until it does not come off.

Spec info.

40ml

Case dimension

W 390 H 240 D 210 mm

Case weight

3.5 kg

Case unit

50

Control No.

B-084

JAN code**09082 Sticker Remover**

Not only does it allow you to peel off stickers, seals, labels or tape cleanly without any glue residue, but also it removes the residue of old glue.

Directions

1. Soak the liquid on the sticker or seal. Take off the plastic or metal of the surface in advance.
2. Leave it for 5-6-minutes and peel it off with the spatula. Heating the sticker with a drier helps you peel it off more easily.
3. Wipe it off with a slightly damp towel which has been wrung out.

Spec info.

25ml

Case dimension

W 320 H 290 D 220 mm

Case weight

2.5 kg

Case unit

50

Control No.

B-082

JAN code**09164 Emblem Remover kit**

The innovative kit allows you to peel off emblem and so on cleanly with the special thread when you take it off or change it.

Directions

1. Check how the emblem is attached.
2. Slip the thread with the included grip between the emblem and car surface. Hold on the grip with both hands and rub down slowly to separate the glue of the emblem from the car surface.
3. Remove the glue residue remaining on the car body with the included release agent and spatula while being careful not to damage the car body.
4. Wipe the residue off with a soft cloth.

Spec info.

Remover :10ml

Grip×2 / Spare thread2m

Case dimension

W 540 H 280 D 230 mm

Case weight

2.5 kg

Case unit

50

Control No.

B-164

JAN code