

00510 SMOOTH EGG Liquid

Our newly developed "coat repair" technology can restore a degraded professional glass coating, and with added water-repellence. Just spray on the wet or dry body of the vehicle after washing, then just wipe down for a water-repellent finish as smooth as a freshly peeled boiled egg. You can achieve the same results on uncoated vehicles too, and as well as paintwork of any colour, this product may be used on wheels, plastic parts, lights, windows... even the vehicle interior!

Directions:

Note: Before applying SMOOTH EGG, be sure to wash your vehicle. For best results, use SMOOTH EGG Shampoo for Repair.

1. Spray onto the wet or dry surface of the vehicle, spacing shots by about 30 cm (12").
2. Wipe up the body with the included cloth, wringing out any water regularly.

Spec info.

250ml

Case dimension

W 533 H 212 D 425 mm

Case weight

9.1 kg

Case unit

20

Control No.

W-510

JAN code

4 975759 005100

00521 Smooth Egg Hydro Flash

Our newly developed quick coat not only gives your vehicle water-repellent Hydropolymer layer, but prevents water stains with its unique Hydropeeling technology. When a vehicle coated with Smooth Egg Hydro Flash is wet with rain, the residue that would normally result in a stain is carried away along with a small amount of the polymer. This is seriously strong protection. By including a specially formulated levelling agent, we are able to keep our Hydropolymer evenly adhered to your vehicle... and that keeps your car shining beautifully, with a gloss that withstands the elements. This product is suitable for use on wet or dry coated and uncoated vehicles, and may be used on all exterior and interior parts except upholstery. One bottle treats a medium-sized vehicle eight times.

Directions:

Note: Before applying Smooth Egg Hydro Flash, be sure to wash your vehicle. Drying is optional.

1. Shake well, remove the trigger lock, and spray onto the body, spacing shots by about 15 cm (6") when wet, or 30 cm (12") when dry.
2. Wipe up quickly with the included cloth. Work on a small area at a time.

Spec info.

230mL

Wipe Cloth

Case dimension

W 520 H 225 D 228 mm

Case weight

7.6 kg

Case unit

20

Control No.

W-521

JAN code

4 975759 005216

00524 Smooth Egg Hydro Flash 200 Refill

A refill pouch for Smooth Egg Hydro Flash, this product protects surfaces from water stains. For waste reduction and resource conservation without a compromise in convenience, this product is provided in an easy to use pouch that can be opened without scissors. Less waste, less hassle.

Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.
2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

Spec info.

200ml

Case dimension

W 335 H 210 D 215 mm

Case weight

6.6 kg

Case unit

30

Control No.

W-524

JAN code

4 975759 005247

00522 Smooth Egg Platinum Liquid

Smooth as silk, yet razor-sharp. Fearless, yet refined. Smooth Egg Platinum Liquid is the embodiment of first-class quick coating technology. In their uncompromising quest for quality, our researchers here in Japan have formulated a highly-concentrated blend of four freshly developed polymers, to create in Platinum Liquid something quite remarkable. Protect your vehicle from dust, dirt and scratches with a powerful hydrophobic layer, boasting an alluring wet-look gloss that is ultra-smooth to the touch.

This product is suitable for use on the bodywork of wet or dry coated and uncoated vehicles.

Directions:

Note: Before applying Smooth Egg Platinum Liquid, be sure to wash your vehicle. Drying is optional.

1. Shake well, remove the trigger lock, and spray onto the body, spacing shots by about 35 cm (14") when wet, or 50 cm (20") when dry.
2. Wipe up quickly with the included cloth. Work on a small area at a time.

Spec info.

230mL

Smooth Cloth

Case dimension

W 435 H 218 D 435 mm

Case weight

8.2 kg

Case unit

20

Control No.

W-522

JAN code

4 975759 005223

00351 Fusso Coat Mirror Shine - Light Colours**Light Colours**

Speedy coating with a mirror shine! Just spread evenly with the included microfiber cloth, and you are done. No work-up necessary. Fusso Coat Mirror Shine is not only water-repellent, but oil-repellent too, and its effects last up to 9 months. Applying this product to a deteriorated surface can restore the shine and strength of the paintwork. This product contains no petroleum solvents or abrasive compounds.

Directions:

Note: Apply to a washed and thoroughly dried car. The included cloth must be used to apply this product. Work panel-by-panel, checking the shine as you go. The surface takes 24 hours to stabilize, so do not wash the vehicle in this period.

1. Shake well and put a moderate amount of liquid on the included cloth.
2. Spread around the car surface as evenly as possible. Drying and wiping off are not necessary!

Spec info.

250ml

Case dimension

W 547 H 227 D 308 mm

Case weight

8.4 kg

Case unit

20

Control No.

R-142

JAN code

4 975759 003519

00352 Fusso Coat Mirror Shine - Dark Colours**Dark Colours**

Speedy coating with a mirror shine! Just spread evenly with the included microfiber cloth, and you are done. No work-up necessary. Fusso Coat Mirror Shine is not only water-repellent, but oil-repellent too, and its effects last up to 9 months. Applying this product to a deteriorated surface can restore the shine and strength of the paintwork. This product contains no petroleum solvents or abrasive compounds.

Directions:

Note: Apply to a washed and thoroughly dried car. The included cloth must be used to apply this product. Work panel-by-panel, checking the shine as you go. The surface takes 24 hours to stabilize, so do not wash the vehicle in this period.

1. Shake well and put a moderate amount of liquid on the included cloth.
2. Spread around the car surface as evenly as possible. Drying and wiping off are not necessary!

Spec info.

250ml

Case dimension

W 547 H 227 D 308 mm

Case weight

8.4 kg

Case unit

20

Control No.

R-143

JAN code

4 975759 003526

00526 Rain Drop

Without worrying about multiple coating products, or material compatibilities, Rain Drop allows coating the entire surface of the car - body, glass, plastic, chrome - all in one step, during drying. The bazooka-style trigger aerosol makes application ultra-fast, combining unprecedented convenience with a coating that protects paint for 3 months, and glass for 2 months.

Directions:

* Before use, shake can up and down about 20 times.

1. Wash the vehicle to remove any dirt or dust.
2. Spray onto the wet body and glass, spraying for about 1 second per 1 □ .
3. After spraying, immediately wipe up while spreading the foam around the surface with a microfiber or cotton towel. Wring out the towel regularly.
4. After wiping dry, leave to dry completely, 5 minutes in hot conditions, 20-30 minutes in winter.

Spec info.

300ml

Case dimension

W 336 H 228 D 296 mm

Case weight

7.0 kg

Case unit

20

Control No.

W-526

JAN code

4 975759 005261

00528 RAIN DROP - Dry Wipes

A new type of RAIN DROP coating! Just use these dry sheets to wipe up after washing, and complete a brilliant hydrophobic coating on both glass and body! The ultimate drying aid!

The repellency lasts for a month on the glass, and two months on the body! (in standard conditions)

20 wipes in a convenient roll make this product perfect to take with you anywhere... you can use it after every wash!

Also compatible with professionally-coated vehicles.

Directions:

1. Pull out the sheet and cut. Using two doubled sheets is more effective.
2. Dampen the sheet with water from the glass and fold into a convenient size.
3. Wipe down the glass and body with the sheet.

Notes:

Work on the glass first.

As the sheet gets saturated, wring out and continue working.

After application, keep dry for 1 hour to improve adhesion.

If the sheet begins to lose absorbency, dispose and use a new sheet.

Spec info.

20 sheets (280x280 mm)

Case dimension

W 455 H 300 D 370 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-528

JAN code

4 975759 005285

00536 Rain Drop Tornado Vortex 300ml

This is the evolution of Rain Drop 'Bazooka' - coating both body and glass at the same time. The newly developed Tornado Vortex Head (TV Head) increases speed and ease of application. Just spray and wipe to activate the G-RAS shield effect, boasting a dramatic improvement over existing technology to provide 5 months of deep shine and hydrophobic protection on the body, and 3 months of rain repellence on glass.

When empty, simply remove the TV Head and replace the cartridge with the large volume refill.

Directions

*Apply to glass before the body.

1. Wash and rinse vehicle thoroughly before use.

2. While locked, shake the can 20 times before spraying evenly onto the wet surface, about 2 seconds per square meter. Wipe up immediately with a clean, dry microfiber cloth, refolding as necessary.

*If unevenness occurs, thoroughly wash and wring out a microfiber cloth and repeat wiping.

*When using on a dry surface, wet and wring out cloth before use.

*When applying to grill or wheels, spray onto cloth and wipe surface.

*After application, avoid wetting for 1 hour in summer, or 24 hours in winter, to improve coating performance.

*In hot conditions (above 35°C), cool can in water for a few minutes before use.

*In cold conditions, warm can in tepid water before use.

Spec info.

300ml

Case dimension

W 530 H 242 D 315 mm

Case weight

8.0 kg

Case unit

20

Control No.

W-536

JAN code

4 975759 005360

00537 Rain Drop Tornado Vortex Refill 380ml

Large volume refill cartridge for Rain Drop Tornado Vortex. Cartridge only.

Directions

1. Lock the used TV Head into the OFF position, and release the head by the clip underneath the barrel.

2. Remove the cap from the replacement cartridge, and clip the TV head onto it.

Spec info.

380ml

Case dimension

W 370 H 253 D 321 mm

Case weight

11.4kg

Case unit

30

Control No.

W-537

JAN code

4 975759 005377

00298 Fusso Coat 12 Months Wax**Light Color**

Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the car body.

Directions

* Be sure that your car is compatible with this product in advance.

1. Wash off sandy dust and the other unwanted residue, and dry car body before use. If heavily soiled, remove any dirt in advance, because this product does NOT include cleaning capability.

2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.

3. After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish.

*We recommend using "Fukupika" series as daily maintenance.

Spec info.

200g

Case dimension

W 252 H 227 D 400 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-95

JAN code

4 975759 002987

00300 Fusso Coat 12 Months Wax**Dark Color**

Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the car body.

Directions

* Be sure that your car is compatible with this product in advance.

1. Wash off sandy dust and the other unwanted residue, and dry car body before use. If heavily soiled, remove any dirt in advance, because this product does NOT include cleaning capability.

2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.

3. After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish.

*We recommend using "Fukupika" series as daily maintenance.

Spec info.

200g

Case dimension

W 252 H 227 D 400 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-96

JAN code

4 975759 003007

10291 Fusso Coat Speed & Barrier Hand Spray (T)



Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable Fusso coating, cleaning and coating in one step! The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 180 days. Perfect for maintaining Fusso Coat.

Directions:

* Before applying to a dirty vehicle, be sure to wash and dry it to avoid scratches. In cases of serious staining, use specialised cleaners. Contents will treat 5 mid-size vehicles.

1. Shake well and switch the nozzle to ON.
2. Spray the surface of the vehicle, spacing shots by about 30 cm (12").
3. Without allowing to dry, lightly wipe across the surface with a clean, dry towel. Refold the towel to expose a fresh surface when wiping becomes difficult.

Spec info.

500ml

Case dimension

W 498 H 237 D 264 mm

Case weight

13.3kg

Case unit

20

Control No.

W-208

JAN code



10339 Fusso Coat F7 All Color



Create strong fluorine layer "PTFE" on car paint surface without base treatment. Hydrophobic properties lasts up to 7 months* and the newly formulated polymer develops an impermeable coating on the surface that remains for far longer than conventional products.

Easy to buff off and prevent stain comparing with conventional solid type. This product protects from various kind of dirt by creating un-penetrated fluorine polymer shield on top of paint surface.

Compatible for all color vehicle. * by SOFT99 test

Directions:

* Make sure that the product is compatible car paint color.

1. Rinse and wash car to remove dirt and sand. If heavily soiled, use car shampoo or cleaner.
2. Shake the bottle well.
3. Apply the moderate amount of liquid on the yellow side of included sponge and spread evenly. Then you can remove the dirt at the same time.

* If the dirt is stubborn, use a clay bar to smoothen the paint, achieve better durability and beautiful finish.

4. Let it dry (5-10 in summer, 15-25 in winter), buff it off with soft and clean towel.

* If the body gets dirty, wash with diluted neutral car shampoo or water, then restore hydrophobic and glossiness. As for daily maintenance, use "Fusso Coat Speed & Barrier Hand Spray".

Spec info.

300ml

Case dimension

W 550 H 238 D 300 mm

Case weight

8.0 kg

Case unit

20

Control No.

JAN code



10117 H-9 Dual Layer Glass Coat



H-9 Dual Layer Glass Coat is an extra-hydrophobic glass-layer coating agent, which make use of state-of-the-art Japanese technology, combining two different types of hard glass layers to provide 9H hardness. The beautiful deep gloss lasts for an amazingly long time, all while preventing adhesion of contaminants with its excellent water repellency.

Directions:

* Before application, be sure to wash, de-iron, polish, and degrease the paintwork.

* Do not apply all at once. Work panel-by-panel.

* Be sure to cool the car body if hot.

1. Set the inner flow-limiter into the neck of Base Coat.
2. Put a moderate amount of liquid onto the white surface of the sponge and apply to the body in a criss-cross pattern to prevent gaps and unevenness.
3. Wipe off with attached towel before coated surface gets dry.

* In cold or otherwise slow-drying environments, immediately repeat Steps 2 & 3 one time.

4. Shake the Top Coat thoroughly, then set the flow-limiter.

5. 20-30 minutes after wiping off the Base Coat, put the Top Coat liquid onto the white surface of a new sponge.

* Apply panel-by-panel in the same order as Base Coat.

* Be sure to shake the Top Coat thoroughly, ensure there is not sediment present.

6. When the Top Coat has dried, wipe off with a fresh towel.

* Reference times for drying: 1 minute in summer, 2-5 minutes in winter.

7. After coating, leave to cure in a dry place for 12 hours.

Spec info.

Primer Liquid 100ml / Top Coat Liquid 100ml /
Sponge with Buff x 2pc /
Exclusive Cloth x 2pc / Gloves x 2pcs

Case dimension

W 356 H 126 D 273 mm

Case weight

3.7 kg

Case unit

6

Control No.

JAN code



10084 H-7 Glass-coat 200ml



H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.
2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened).
3. Allow to dry for approximately 5 minutes, and wipe down lightly with the included cloth.
4. After coating, leave to cure in a dry place for 12 hours.

Spec info.

Liquid 200ml / Sponge with Buff x 2pcs /
Exclusive Cloth x 2pcs / Gloves x 2pcs

Case dimension

W 348 H 150 D 321 mm

Case weight

3.5 kg

Case unit

6

Control No.

JAN code



10088 H-7 Glass-coat 100ml

H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.
2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened).
3. Allow to dry for approximately 5 minutes, and wipe down lightly with the included cloth.
4. After coating, leave to cure in a dry place for 12 hours.

Spec info.

Liquid 100ml / Sponge with Buff × 2pcs /
Exclusive Cloth × 2pcs / Gloves × 2pcs

Case dimension

W 322 H 125 D 321 mm

Case weight

2.5 kg

Case unit

6

Control No.**JAN code****10297 H-7 Glass-coat 50ml**

H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.
2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened).
3. Allow to dry for approximately 5 minutes, and wipe down lightly with the included cloth.
4. After coating, leave to cure in a dry place for 12 hours.

Spec info.

Liquid 50ml / Application pad × 1pc /
Application cloth × 2pcs / Gloves × 2pcs /
Removal cloth × 1pc / Pasteur pipette × 1pc

Case dimension

W 448 H 132 D 266 mm

Case weight

2.8 kg

Case unit

10

Control No.**JAN code**

00462 Fukupika Wash & Wax Gen.5



This is the 5th generation model of Fukupika, the revolutionary waterless washing wipes that can be used on both the body and glass, applying a strong water repellent effect while simultaneously cleaning. Just wipe! to achieve excellent cleaning power while applying a hydrophobic coating. New binding technology now allows long-lasting hydrophobic coating of both glass and body! The sheets have been made half the size, with twice the quantity, for more economical spot usage. Of course, Fukupika wipes are fully compatible with ceramic/quartz/etc. professionally applied coatings.

Directions:

1. Open the flap and remove one wipe.
2. Fold the sheet in half and wipe the surface lightly.
3. Start on the glass surfaces, before working on the body.
4. If the wipe gets dirty, refold to use a fresh surface immediately.

On dirtier surfaces, wipe first to clean, and then wipe again with a fresh surface to finish. If the wipe becomes dirty, dry, or difficult to use, change to a new wipe. Dispose of wipes according to local regulations.

Note: Can be used on exterior surfaces including paint and glass.

Spec info.

24 wipes (ca. 175 x 300 mm)

Case dimension

W 520 H 285 D 345 mm

Case weight

13.0kg

Case unit

40

Control No.

W-462

JAN code



4 975759 004622

00468 FUKUPIKA WASH&WAX 12 wipes



The triple-layer design was especially formulated for gentleness, with the central layer absorbing dirt to keep the outer layers cleaner. This helps prevent scratches, and supports the structure of the outer layers, which are optimized to glide lightly and effortlessly over any part of your vehicle, washing and waxing along the way to keep every inch fresh and shiny.

Directions:

1. Open the front flap, and pull out one wipe.
2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.
4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.

Spec info.

12 sheets (350×300mm)

Case dimension

W 475 H 323 D 345 mm

Case weight

13.6kg

Case unit

40

Control No.

W-220

JAN code



4 975759 004684

00471 FUKUPIKA Strong Water Repellent



Loaded with water-repellent silicone oils and powerfully adhesive wax, a sheet of nonwoven fabric, pinhole-treated for ultra-low friction, not only cleans your vehicle, but leaves it with long lasting protection in the form of a durable and highly hydrophobic layer. This layer will last for up to 3 months, or 5 machine washes.

Directions:

1. Open the front flap, and pull out one wipe.
2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.
4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.

Spec info.

10 sheets (350×300mm)

Case dimension

W 495 H 268 D 365 mm

Case weight

11.4kg

Case unit

40

Control No.

W-219

JAN code



4 975759 004714

00488 Fukupika Gloss



With just a wipe, apply a hybrid coating of premium natural carnauba and a newly developed high-gloss polymer, instantly achieving a deep shine that will take your breath away. As with all FukuPika wipes, to maximize gentleness to your paintwork and skin, no use is made of petrochemical solvents or other unnecessary chemicals.

Directions:

1. Open the front flap, and pull out one wipe.
 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.
 4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.
- Note: If any streaking or unevenness remains after use, buff off with a clean, dry towel.

Spec info.

10 sheets (350×300mm)

Case dimension

W 495 H 320 D 370 mm

Case weight

11.0kg

Case unit

40

Control No.

W-160

JAN code



4 975759 004882

00496 Fukupika Mirror Finish



With the polishing action of a micro-particle powder, these wipes restore the smooth lustre of your vehicle's paintwork, and top it all off with a natural Carnauba-based coating to bring out an incredible gloss. By achieving this synergy of effects in a convenient sheet form, FukuPika Mirror Finish wipes allow easy improvement of lightly scratched paint in any area, including cramped or awkward areas like around the door handles. To maximize gentleness to your paintwork, your skin, and the environment, no use is made of alcohol, petrochemical solvents, or any other unnecessary chemicals.

Directions:

1. Open the front flap, and pull out one wipe.
 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.
 4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.
- Note: If any streaking or unevenness remains after use, buff off with a clean, dry towel.

Spec info.

10sheets (350×300mm)

Case dimension

W 485 H 320 D 370 mm

Case weight

11.0kg

Case unit

40

Control No.

W-169

JAN code



00490 Fukupika for Wax Coated Car



With just a gentle wipe, restore the original gloss and shine of your vehicle's coating.

Featuring a pH-neutral and abrasive-free triple-layered construction for maximum gentleness, these wipes are specially designed to lift dirt non-abrasively and then absorb it into the central layer, so the outer surface stays fresher for longer.

Directions:

1. Open the front flap, and pull out one wipe.
 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.
 4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.
- Note: If any streaking or unevenness remains after use, buff off with a clean, dry towel.

Spec info.

12sheets (350×280mm)

Case dimension

W 485 H 340 D 370 mm

Case weight

13.0kg

Case unit

40

Control No.

W-168

JAN code



00484 Fukupika Dry



Just wipe down you're the body after washing with these highly absorbent wax-infused sheets to quickly and safely dry your vehicle, while simultaneously applying a coating that rivals traditional hard waxes for shine and protection. May also be used on a dry vehicle.

Directions:

For a wet vehicle:

1. Fold down to a workable size (2 or 3 times) and use the sheet to dry the vehicle surface after washing.
2. Wring out and fold as needed, exposing a new surface regularly to ensure even coverage for the best possible protection.

For a dry vehicle:

1. First, wet the sheet and wring out enough that water is not left behind when wiping.
2. Fold down to a workable size (2 or 3 times) and wipe the vehicle surface lightly, but thoroughly.
3. Refold as needed, exposing a new surface regularly to ensure even coverage for the best possible protection.

Spec info.

3sheets

Case dimension

W 380 H 250 D 290 mm

Case weight

3.0 kg

Case unit

40

Control No.

W-125

JAN code



00541 Fukupika Spray Advance



Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a glossy and hydrophobic hybrid coating.

Directions:

1. Shake the bottle well before use.
 2. Turn nozzle to and spray 1 shot of the liquid for 30cm square each on dry paintwork, then wipe off with clean dry towel immediately. When use microfiber, spray twice than usual.
- * If heavily soiled, wash off dirt and wipe off water otherwise it may cause unevenness or streak mark.
- * Change the towel surface when it gets dirty.

Spec info.

400ml

Case dimension

W 293 H 239 D 487 mm

Case weight

15.0kg

Case unit

30

Control No.

W-541

JAN code



00543 Fukupika Spray Advance (refill)

Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable hybrid coating. The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 6 months.

Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.
2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

Spec info.

320ml

Case dimension

W 396 H 232 D 286 mm

Case weight

7.2 kg

Case unit

20

Control No.

W-543

JAN code

4 975759 005438

00542 Fukupika Spray Advance Strong Type

Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a glossy and hydrophobic hybrid coating.

Directions:

1. Shake the bottle well before use.
 2. Turn nozzle to and spray 1 shot of the liquid for 30cm square each on dry paintwork, then wipe off with clean dry towel immediately. When use microfiber, spray twice than usual.
- * If heavily soiled, wash off dirt and wipe off water otherwise it may cause unevenness or streak mark.
* Change the towel surface when it gets dirty.

Spec info.

400ml

Case dimension

W 288 H 240 D 487 mm

Case weight

15.0kg

Case unit

30

Control No.

W-542

JAN code

4 975759 005421

00544 Fukupika Spray Advance Strong Type (refill)

Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable hybrid coating. The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 6 months. Eco-friendly refill pouch.

Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.
2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

Spec info.

320ml

Case dimension

W 396 H 232 D 286 mm

Case weight

7.2 kg

Case unit

20

Control No.

W-544

JAN code

4 975759 005445

00501 Color Evolution - White & Pearl**White & Pearl**

With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions:

1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area.
 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time.
 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth.
- Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

Spec info.

100ml

Case dimension

W 498 H 225 D 271 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-180

JAN code

4 975759 005018

00502 Color Evolution - Silver**Silver**

With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions:

1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area.
2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time.
3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth.

Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

Spec info.

100ml

Case dimension

W 498 H 225 D 271 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-181

JAN code**00503 Color Evolution - Black****Black**

With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions:

1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area.
2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time.
3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth.

Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

Spec info.

100ml

Case dimension

W 498 H 225 D 271 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-182

JAN code**00504 Color Evolution - Blue****Blue**

With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions:

1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area.
2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time.
3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth.

Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

Spec info.

100ml

Case dimension

W 498 H 225 D 271 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-183

JAN code**00505 Color Evolution - Red****Red**

With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions:

1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area.
2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time.
3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth.

Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

Spec info.

100ml

Case dimension

W 498 H 225 D 271 mm

Case weight

4.7 kg

Case unit

20

Control No.

W-184

JAN code

00191 EXTREME GLOSS WAX WHITE Soft Paste Wax**WHITE Soft Paste Wax**

'The Kiwami' White Soft is a carefully blended paste, based on high-grade mineral wax and reinforced with our latest synthetic polymers. This blend is designed especially to bring a dazzlingly bright shine to the paintwork of your white or light coloured vehicle for up to 3 months. This is the ultimate wax for gloss. This is 'The Kiwami'.

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. Increase pressure to remove stubborn dirt and stains.
3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

200g

Case dimension

W 616 H 179 D 249 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-223

JAN code**00192 EXTREME GLOSS WAX SILVER Hard Wax****SILVER Hard Wax**

'The Kiwami' is a carefully crafted blend of the finest Carnauba wax, reinforced with our latest synthetic polymers. This blend is designed especially to bring a dazzling gloss and sparkle to the paintwork of your silver vehicle for up to 3 months. This is the ultimate wax for gloss. This is 'The Kiwami'.

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

200g

Case dimension

W 616 H 179 D 249 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-224

JAN code**00193 EXTREME GLOSS WAX BLACK Hard Wax****BLACK Hard Wax**

'The Kiwami' is a carefully crafted blend of the finest Carnauba wax, reinforced with our latest synthetic polymers. This blend is designed especially to bring deep-space darkness to the paintwork of your black or coloured vehicle, at the same time leaving it with an unparalleled gloss to bring dazzling contrast to every angle and surface of your vehicle, with effects lasting up to 3 months. This is the ultimate wax for gloss. This is 'The Kiwami'.

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

200g

Case dimension

W 616 H 179 D 249 mm

Case weight

7.5 kg

Case unit

20

Control No.

W-225

JAN code**00421 REFINE Soft Paste Wax**

This multi-purpose wax is suitable for removing water marks from any colour of vehicle, and will impart a lustrous shining finish to the paintwork. This product is also suitable for polishing motorcycles, helmets, and plastic parts.

Directions:

Note: Apply to a washed and thoroughly dried car. To avoid staining, be sure to remove all product residue.

1. Apply a moderate amount of product to the included cloth.
2. Rub firmly and evenly, regularly folding the cloth to expose a fresh surface, until the desired finish is achieved.

Spec info.

150g

Case dimension

W 603 H 159 D 244 mm

Case weight

6.7 kg

Case unit

20

Control No.

W-229

JAN code

00418 New Scratch Clear Wax-Mirror Finish - Solid White**Solid White**

With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

Spec info.

200g

Case dimension

W 616 H 193 D 249 mm

Case weight

8.2 kg

Case unit

20

Control No.

W-195

JAN code**00419 New Scratch Clear Wax-Mirror Finish - Pearl & Metallic****Pearl & Metallic**

With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

Spec info.

200g

Case dimension

W 616 H 193 D 249 mm

Case weight

8.2 kg

Case unit

20

Control No.

W-196

JAN code**00420 New Scratch Clear Wax-Mirror Finish - Dark & Metallic****Dark & Metallic**

With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

Spec info.

200g

Case dimension

W 616 H 193 D 249 mm

Case weight

8.2 kg

Case unit

20

Control No.

W-196

JAN code**00341 Water Block Wax White****White**

Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

300g

Case dimension

W 616 H 193 D 249 mm

Case weight

9.9 kg

Case unit

20

Control No.

W-65

JAN code

00344 Water Block Wax Pearl & Metallic**Pearl & Metallic**

Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

300g

Case dimension

W 616 H 193 D 249 mm

Case weight

9.9 kg

Case unit

20

Control No.

W-66

JAN code**00347 Water Block Wax Dark & Metallic****Dark & Metallic**

Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

300g

Case dimension

W 616 H 193 D 249 mm

Case weight

9.9 kg

Case unit

20

Control No.

W-67

JAN code**00020 New Soft 99 Wax - White Soft Paste****White Soft Paste**

Formulated especially for solid white and pastel vehicles, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt without affecting the paintwork, and high-grade mineral wax to form a shining protective layer with unbeatable brightness, plus superior water-repellency. May be used on painted bumpers, mirror holders, etc.

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. Increase pressure to remove stubborn dirt and stains.
3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

350g

Case dimension

W 620 H 250 D 200 mm

Case weight

10.0kg

Case unit

20

Control No.

W- 3

JAN code**00027 New Soft 99 Wax - Pearl & Metallic****Pearl & Metallic**

Formulated especially for metallic or pearlescent white and pastel vehicles, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt and restore the lustre without affecting the paintwork, and high-grade mineral wax to form a shining protective layer with unbeatable brightness, plus superior water-repellency. May be used on painted bumpers, mirror holders, etc.

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. Increase pressure to remove stubborn dirt and stains.
3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

320g

Case dimension

W 620 H 250 D 200 mm

Case weight

10.0kg

Case unit

20

Control No.

W- 4

JAN code

00010 Dark & Black Wax**Dark & Black**

Real Carnauba wax for real deep gloss on your black or dark coloured vehicle. This product contains natural Carnauba to form a protective layer with slick looks, plus superior water-repellency and heat-resistance. May also be used on painted bumpers, mirror holders, etc.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

300g

Case dimension

W 620 H 250 D 200 mm

Case weight

10.0kg

Case unit

20

Control No.

W- 2

JAN code**00112 Hanneri Wax**

Hanneri Wax, a soft pasted wax that has been formulated with an all-new method of development. It removes dirt and spots while maintaining the beautiful shine of the car body. Compatible with all non-black cars, whether old or new.

Directions:

* Make sure that your color is compatible with this product

* Wash off sand, dust, and dirt, and wipe off any remaining water drops from car surface.

1. Take a moderate amount of the wax and spread it evenly onto car's body using the included sponge.
2. Rub more firmly to remove heavier stains like dirt, tar, and pitch.
3. After surface gets dry (5-10 minutes), wipe it off with a soft clean towel. Make sure to finish entire process. If left unfinished, it may cause spots or unevenness.
4. Seal up the can container in order to prevent the fluid from evaporating. Also wash your hands well with soap afterwards.

Spec info.

280g

Case dimension

W 616 H 179 D 249 mm

Case weight

9.2 kg

Case unit

20

Control No.

W-19

JAN code**00120 Car Wax Black**

Combining purified Carnauba wax from Parnaiba with silicone polymer oils to give deep, dark, glowing protection, this classic wax is made for black and dark solid or metallic vehicles.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

250g

Case dimension

W 604 H 179 D 249 mm

Case weight

8.5 kg

Case unit

20

Control No.

W-20

JAN code**00171 The King of Gloss - Solid White****Solid White**

The King of Gloss coats your vehicle with a thick layer of our spectacularly glossy blend of mineral wax and synthetic resin. It is also easy to work with, and buffing off is a breeze. No smearing or unevenness! We have created this special blend to enhance white paint to its full eye-popping potential. This is the King of Gloss!

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

320g

Case dimension

W 250 H 200 D 620 mm

Case weight

10.0kg

Case unit

20

Control No.

W-143

JAN code

00177 The King of Gloss - Black & Dark**Black & Dark**

The King of Gloss coats your vehicle with a thick layer of our spectacularly glossy blend of mineral wax and synthetic resin. It is also easy to work with, and buffing off is a breeze. No smearing or unevenness! We have created this special blend to enhance black and dark coloured paints to their full eye-popping potential. This is the King of Gloss!

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.
2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Spec info.

300g

Case dimension

W 250 H 200 D 620 mm

Case weight

10.0kg

Case unit

20

Control No.

W-146

JAN code

4 975759 001775

00373 Mirror Shine Wax - Light Colours**Light Colours**

Ultimate shine, with no buffing required! This unique synthetic wax creates a mirror-like shine on your vehicle, with no need to cure or buff. Just apply with the included microfiber cloth, and you'll have a gleaming finish that lasts for up to 3 months! You can even use Mirror Shine on plastic parts, such as bumpers and lamp covers. This product contains no polishing compound.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
2. Simply wipe across the surface with even pressure to achieve a perfect finish. There is no need for curing or removal.

Spec info.

200g

Case dimension

W 616 H 193 D 249 mm

Case weight

8.3 kg

Case unit

20

Control No.

W-212

JAN code

4 975759 003731

00374 Mirror Shine Wax - Dark Colours**Dark Colours**

Ultimate shine, with no buffing required! This unique synthetic wax creates a mirror-like shine on your vehicle, with no need to cure or buff. Just apply with the included microfiber cloth, and you'll have a gleaming finish that lasts for up to 3 months! You can even use Mirror Shine on plastic parts, such as bumpers and lamp covers. This product contains no polishing compound.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
2. Simply wipe across the surface with even pressure to achieve a perfect finish. There is no need for curing or removal.

Spec info.

200g

Case dimension

W 616 H 193 D 249 mm

Case weight

8.3 kg

Case unit

20

Control No.

W-213

JAN code

4 975759 003748

10019 Extra Hard Wax

Formulated with natural Carnauba wax to create ultimate shine, this wax forms a tough, durable coating to protect the vehicle's body from staining or damage by water, UV, acid rain, and other contaminants. This product is compatible vehicles of any colour.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. After drying for between 5 and 20 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

300g

Case dimension

W 616 H 199 D 249 mm

Case weight

20.0kg

Case unit

20

Control No.**JAN code**

4 975759 100195

10023 New Meta Clean Liquid Wax

This liquid cleaning wax safely removes dirt and other unwanted residue, to restore the original shine of the paintwork. This product is especially formulated for metallic vehicles.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Shake well before use.
2. Take a moderate amount of liquid onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
3. Increase pressure to remove stubborn dirt and stains.
4. After drying, buff off with a soft clean towel.

Spec info.

530ml

Case dimension

W 390 H 220 D 320 mm

Case weight

24.0kg

Case unit

24

Control No.**JAN code**

4 975759 100232

10030 New Metallic Soft Wax

A soft paste cleaner wax that can remove dirt and stains, this wax is formulated especially to produce amazing glossy results on metallic vehicles.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. Increase pressure to remove stubborn dirt and stains.
3. After drying, buff off with a soft clean towel.

Spec info.

320g

Case dimension

W 616 H 199 D 249 mm

Case weight

20.0kg

Case unit

20

Control No.**JAN code**

4 975759 100300

10162 Authentic Premium(E)

Truly a wax work of art, Authentic Premium is made with no compromises, only the highest quality refined natural Carnauba, imported from Brazil and subjected to our rigorous testing regime in Japan. Easy to apply, a fine-grade sponge applicator is included to help the wax spread smoothly and evenly across your paintwork. A detailing brush is also included, for easy removal from tight areas such as around the emblems and moldings. Each can of Authentic Premium is overflowing with our passion for quality, and obsession with beauty... Just see for yourself!

Directions:

1. Wash the car to remove dust and dirt. Drying is optional; this product may be used on a wet body.
2. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
3. After drying for between 5 and 10 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Spec info.

200g

Case dimension

W 680 H 195 D 275 mm

Case weight

8.6 kg

Case unit

20

Control No.**JAN code**

4 975759 101628

10163 Luxury Gloss

A newly developed water-based liquid wax, focused on gloss, shine, and smoothness not found in other products. This may be used as a stand-alone wax, or as a quick top-up or enhancement for any other paint protection. Just spray and wipe, it could not be any easier! All this comes with a tropical mango scent to make application all the more enjoyable. At a full 500 ml, this is one generous serving of simple sophistication.

Directions:

1. Ensure the paintwork is dry and free from dust and dirt.
2. Spray onto the area to be treated, spacing shots by around 50 cm.
3. After spraying a panel, wipe off immediately and move on to the next.

Spec info.

500ml

Case dimension

W 498 H 237 D 264 mm

Case weight

12.5kg

Case unit

20

Control No.**JAN code**

4 975759 101635

10206 Extra Hanneri

With quick and easy application, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt without affecting the paintwork, while forming a shining protective layer with unbeatable brightness, plus superior water-repellency to prevent damage from rain and other dirt. This product is suitable for white and light-coloured vehicles.

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
2. Increase pressure to remove stubborn dirt and stains.
3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

[Spec info.](#)

320g

[Case dimension](#)

W 616 H 199 D 249 mm

[Case weight](#)

20.0kg

[Case unit](#)

20

[Control No.](#)[JAN code](#)

4 975759 102069

03131 NANO HARD PLASTICS COAT



By applying this to faded or hazy plastic parts, you can restore and protect them with a transparent, heat-resistant polymer layer that will last for up to between 6 months and a year. It can be applied to any plastic surface on a vehicle, or even in the home, and the components react on the surface to form a hard, glass-like layer to protect the surface.

Directions:

1. Remove all dirt and residue from the wheel that are to be treated.
2. Apply a small amount of liquid to the sponge
3. Dry for about 5 minutes, rest, and remove residue with a dry, clean towel. Do not touch or wet for 24 hours. Complete setting occurs within 3-4 days.

Spec info.

8ml

Case dimension

W 188 H 235 D 454 mm

Case weight

2.0 kg

Case unit

50

Control No.

E-42

JAN code



03133 LIGHT ONE



Over time, road contaminants and UV cause headlight lenses to deteriorate, and become foggy or even yellow. Not only does this look dirty, it also affects the quality of light given out. Because it occurs gradually, it may go unnoticed, but a reduction in light quality adversely affects visibility and can lead to accidents. Our two-step headlight restoration kit not only brings back clarity and shine to hazy or yellowed headlights and other plastic parts, but also adds a hard topcoat to protect your lenses from dirt and UV radiation.

This kit includes Base Cleaner, Hard Topcoat, a cloth and an applicator sponge.

Directions:

1. First, wash and dry the lenses.
2. Shake the bottle of Base Cleaner well, and apply to one side of the included cloth. Spread around evenly, and polish the deteriorated areas until clarity returns.
3. When finished, wipe off the Base Cleaner with the clean side of the cloth.
4. Shake the bottle of Hard Topcoat well, apply to the included sponge, and spread around evenly.
5. After about one minute of drying, spread around again with the opposite side of the sponge, to smooth out any unevenness.

Note: Do not touch or wet for 24 hours after application. Full hardening occurs within 4 days. Coating must be applied with the included sponge. Do not reuse sponges.

Spec info.

Base Cleaner : 50ml
Coating Liquid : 8ml

Case dimension

W 486 H 216 D 252 mm

Case weight

3.8 kg

Case unit

20

Control No.

E-56

JAN code



03144 Nano Hard Clear



This product restores and protects transparent plastic parts that have faded or yellowed. It can be used on any transparent or translucent unpainted plastic parts, such as light lenses, window deflectors, and translucent trim. A beautiful thin film of Crystal Blue glass coating brings back the clarity of plastic parts, and counteracts yellowing due to age. Unlike one-off quick detailing agents, such as those containing silicone oil, Nano Hard Clear creates a layer of glass on the surface of the plastic, which can improve looks and add protection for over 6 months.

Directions:

1. Remove all dirt and oil from the area to be treated. If water is used, be sure to dry completely.
2. Wearing the included gloves, shake the bottle well and add some liquid to the white surface of the included sponge. Spread thinly and evenly across the surface of the plastic.
3. After about one minute of drying, spread around again with the unused white side of the sponge, to smooth out any unevenness.

Note: Do not touch or wet for 24 hours after application. Full hardening occurs within 4 days. Coating must be applied with the included sponge. Do not reuse sponges.

Spec info.

8ml

Case dimension

W 454 H 235 D 188 mm

Case weight

2.0 kg

Case unit

50

Control No.

E-55

JAN code



03134 BLACK PARTS ONE -Unpainted Resin Parts Refresh Kit-



Plastic trim deteriorates over time due to exposure to UV and other contaminants. Plastic that has turned gray or lost its sheen is unsightly, and can be expensive to replace, but our two-step restoration kit brings back that fresh look to hard plastic parts, and protects them from further degradation. This kit includes two liquids: Liquid Binder to clean the surface of plastic parts, and Hard Clear Coat that coats them with a hard transparent layer, which protects them from the elements, and also restores a fresh-looking sheen.

Directions:

1. First, wash and dry the parts to be treated.
2. Shake the bottle of Liquid Binder well, and apply to one side of the included cloth. Spread evenly over the surface of the plastic.
3. When finished, wipe off the Liquid Binder with the clean side of the cloth.
4. Separate a piece of the included sponge, and add a small amount of Hard Clear Coat to the black surface. Spread thinly and evenly over the plastic.
5. After about 5 minutes of drying, wipe with a fresh included cloth to smooth any unevenness.

Note: Do not touch or wet for 24 hours after application. Coating must be applied with the included sponges. Do not reuse sponges. Some precipitate solid may be present in the Liquid Binder, but this is not a problem. Shake well before use.

Spec info.

Base Cleaner : 40ml
Coating Liquid : 8ml
Special sheet × 4 / Special sponge × 4

Case dimension

W 486 H 216 D 252 mm

Case weight

3.3 kg

Case unit

20

Control No.

E-57

JAN code



09500 Rubber & Plastic Parts Restoration Agent

Bring the life back to faded plastic and rubber trim! This treatment restores the deep darkness, natural gloss, and rich texture of black trim to revitalize your vehicle. The unique coating liquid penetrates into the surface and polymerizes to form a flexible yet glossy surface, making it suitable for restoring both hard plastic and soft rubber!

Directions:

Note: Apply only to clean, dry, unpainted plastic and rubber.

1. First clean and degrease the area to be treated using the included 'Silicone Off' degreasing sheets.

Note: Some textured plastics may pick up fibers from the sheet. Remove these before proceeding. To prevent the sheets from drying out, firmly seal the package between uses.

2. Cut the sponge according to the area to be treated. The black sponge is for hard plastic, the white sponge is for soft rubber. Apply a small amount of the liquid (green label), and spread thinly and evenly across the surface to be treated.

Note: Some rubber parts may absorb the liquid. Keep applying until enough liquid remains.

3. After drying for around 5 minutes, use a fresh sheet to lightly wipe up the surface for an even finish. If left for too long, the excess will not be possible to remove.

Note: Do not touch or wet for 24 hours. Do not reuse sponges that have hardened. If the liquid unintentionally comes into contact with another surface, wipe off immediately.

[Spec info.](#)

Coating Agent (15mL) × 1bottle /
Hard Sponge × 2pcs / Soft Sponge × 2pcs /
Silicone off Wipes × 3sheets / Gloves × 2pcs

[Case dimension](#)

W 388 H 212 D 290 mm

[Case weight](#)

2.6 kg

[Case unit](#)

30

[Control No.](#)

B-500

[JAN code](#)