#### 00521 **Smooth Egg Hydro Flash**



Our newly developed quick coat not only gives your vehicle water-repellent Hydropolymer layer, but prevents water stains with its unique Hydropeeling technology. When a vehicle coated with Smooth Egg Hydro Flash is wet with rain, the residue that would normally result in a stain is carried away along with a small amount of the polymer. This is seriously strong protection. By including a specially formulated levelling agent, we are able to keep our Hydropolymer evenly adhered to your vehicle... and that keeps your car shining beautifully, with a gloss that withstands the elements.

This product is suitable for use on wet or dry coated and uncoated vehicles, and may be used on all exterior and interior parts except upholstery. One bottle treats a medium-sized vehicle eight times.

### Directions:

Note: Before applying Smooth Egg Hydro Flash, be sure to wash your vehicle. Drying is optional

1. Shake well, remove the trigger lock, and spray onto the body, spacing shots by about 15 cm (6") when wet, or 30 cm (12") when dry. 2. Wipe up quickly with the included cloth. Work on a small area at a time.

#### 00524 Smooth Egg Hydro Flash 200 Refill



A refill pouch for Smooth Egg Hydro Flash, this product protects surfaces from water stains. For waste reduction and resource conservation without a compromise in convenience, this product is provided in an easy to use pouch that can be opened without scissors. Less waste, less hassle.

### Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.

2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

#### 00522 Smooth Egg Platinum Liquid



Smooth as silk, yet razor-sharp. Fearless, yet refined. Smooth Egg Platinum Liquid is the embodiment of first-class quick coating technology. In their uncompromising quest for quality, our researchers here in Japan have formulated a highly-concentrated blend of four freshly developed polymers, to create in Platinum Liquid something quite remarkable. Protect your vehicle from dust, dirt and scratches with a powerful hydrophobic layer, boasting an alluring wet-look gloss that is ultra-smooth to the touch.

This product is suitable for use on the bodywork of wet or dry coated and uncoated vehicles.

### Directions:

Note: Before applying Smooth Egg Platinum Liquid, be sure to wash your vehicle. Drying is optional.

1. Shake well, remove the trigger lock, and spray onto the body, spacing shots by about 35 cm (14") when wet, or 50 cm (20") when dry.

2. Wipe up quickly with the included cloth. Work on a small area at a time.

#### 00351 **Fusso Coat Mirror Shine - Light Colours**

### **Light Colours**



Speedy coating with a mirror shine! Just spread evenly with the included microfiber cloth, and you are done. No work-up necessary. Fusso Coat Mirror Shine is not only water-repellent, but oil-repellent too, and its effects last up to 9 months. Applying this product to a deteriorated surface can restore the shine and strength of the paintwork. This product contains no petroleum solvents or abrasive compounds.

### Directions:

Note: Apply to a washed and thoroughly dried car. The included cloth must be used to apply this product. Work panel-by-panel, checking the shine as you go. The surface takes 24 hours to stabilize, so do not wash the vehicle in this period

1. Shake well and put a moderate amount of liquid on the included cloth. 2. Spread around the car surface as evenly as possible. Drying and wiping off are not necessary!

Spec Into.
230mL
Wipe Cloth
•
Case dimension
W 520 H 225 D 228 mm
Case weight
7.6 kg
Case unit
20
Control No.
W-521
JAN code
4 975759 005216

Spec info.
200ml
Case dimension
W335 H210 D215 mm
Case weight
6.6 kg
Case unit
30
Control No.
W-524
JAN code
4 975759 005247
4 "975759"005247"
Spec info.

Spec info.			
230mL Smoot	h Cloth		
Case dimension			
W 435	н 218	D 435	mm
Case weight			

8.2 ka

Case unit 20

Control No.

W-522

Spec info.





250ml
Case dimension
W 547 H 227 D 308 mm
Case weight
8.4 kg
Case unit
20
Control No.
R-142
JAN code
4 975759 00351

S

Spec info.

#### **Fusso Coat Mirror Shine - Dark Colours** 00352

### **Dark Colours**



Speedy coating with a mirror shine! Just spread evenly with the included microfiber cloth, and you are done. No work-up necessary. Fusso Coat Mirror Shine is not only water-repellent, but oil-repellent too, and its effects last up to 9 months. Applying this product to a deteriorated surface can restore the shine and strength of the paintwork. This product contains no petroleum solvents or abrasive compounds.

### Directions:

Note: Apply to a washed and thoroughly dried car. The included cloth must be used to apply this product. Work panel-by-panel, checking the shine as you go. The surface takes 24 hours to stabilize, so do not wash the vehicle in this period.

1. Shake well and put a moderate amount of liquid on the included cloth.

2. Spread around the car surface as evenly as possible. Drying and wiping off are not necessary!

#### **RAIN DROP - Dry Wipes** 00528

A new type of RAIN SROP coating! Just use these dry sheets to wipe up after washing, and complete a brilliant hydrophobic coating on both glass and body! The ultimate drying

aid! The repellency lasts for a month on the glass, and two months on the body! (in standard conditions)

20 wipes in a convenient roll make this product perfect to take with you anywhere... you can use it after every wash!

Also compatible with professionally-coated vehicles.

Directions

Pull out the sheet and cut. Using two doubled sheets is more effective.
 Dampen the sheet with water from the glass and fold into a convenient size.
 Wipe down the glass and body with the sheet.

Notes:

Work on the glass first.

As the sheet gets saturated, wring out and continue working. After application, keep dry for 1 hour to improve adhesion. If the sheet begins to lose absorbency, dispose and use a new sheet.

#### 00536 **Rain Drop Tornado Vortex 300ml**

This is the evolution of Rain Drop 'Bazooka' - coating both body and glass at the same time. The newly In is the evolution of Rain Drop Bazooka - coaling both body and glass at the same time. The newly developed Tormado Vortex Head (TV Head) increases speed and ease of application. Just spray and wipe to activate the G-RAS shield effect, boasting a dramatic improvement over existing technology to provide 5 months of deep shine and hydrophobic protection on the body, and 3 months of rain repellence on glass. When empty, simply remove the TV Head and replace the cartridge with the large volume refill.



\*Apply to glass before the body.

Wash and rinse vehicle thoroughly before use.
 While locked, shake the can 20 times before spraying evenly onto the wet surface, about 2 seconds per square meter. Wipe up immediately with a clean, dry microfiber cloth, refolding as necessary.

\*If unevenness occurs, thoroughly wash and wring out a microfiber cloth and repeat wiping. \*When using on a dry surface, wet and wring out cloth before use. \*When applying to grill or wheels, spray onto cloth and wipe surface. \*After application, avoid wetting for 1 hour in summer, or 24 hours in winter, to improve coating

performance. \*In hot conditions (above 35□), cool can in water for a few minutes before use. \*In cold conditions, warm can in tepid water before use.

**Rain Drop Tornado Vortex Refill 380ml** 00537

Large volume refill cartridge for Rain Drop Tornado Vortex. Cartridge only.

Directions

1. Lock the used TV Head into the OFF position, and release the head by the clip underneath the barrel.

2. Remove the cap from the replacement cartridge, and clip the TV head onto it.



Spec info.
20 sheets (280x280 mm)
Case dimension
W455 H300 D370 mm
Case weight
4.7 kg
Case unit
20
Control No.
W-528
JAN code
4 975759 005285

Spec info. 300ml

Case dimension			
<i>N</i> 530 H 242	D 315	mm	
Case weight			
8.0 kg			
Case unit			
20			
Control No.			

W-536



Spec info. 380ml



Case dimension
W370 H253 D321 mm
Case weight
11.4kg
Case unit
30
Control No.
W-537
JAN code
4 975759 005377







Spec info. 700ml

#### **ALAUNEN BACHI BACHI UP! Clean and Coat** 02904



The wash-and-coat formula imparts a water-repellent effect not only to the body, but also to the glass... at the same time! Simply use it like any other shampoo to wash the vehicle. Washing and coating... all-in-one! In "Wash Mode", it can be diluted and used in the same way as a normal shampoo to clean the car, but also provides around 2 months of hydrophobicity for the washed surfaces. In "Coating Mode", the liquid is applied directly to the surface, and creates a strong water repellent layer that lasts for around 3 months... on both body and glass! With a pH-neutral formula, it is compatible with all colours, it is also useful as a maintenance shampoo for body and glass treated with other hydrophobic coatings.

Directions

\* First, turn the pump head to open, while grasping the base of the pump. The pump head should rise and open \* Rinse the entire vehicle with water in advance to wash away any dirt or dust.

Wash Mode 1. Use a bucket and dilute the liquid on a ratio of 5 pushes to 1L (about 2 pints) of water. You should need around 3L to wash a medium-sized car. You can create more foam by pouring the water from a greater height. 2. Soak a sponge or cloth in the bucket, and use it to wash the body and glass. 3. After washing, rinse thoroughly with water until the foam disappears.

Coating Mode

 Pump liquid 2 or 3 times directly onto a sponge or cloth soaked in water, and spread around one panel area.
 Let sit for 1 minute in hot conditions and 3 minutes in cold, and then rinse with water or wipe off with a cloth soaked in water, before drying.

NOTE: Work panel-by-panel, e.g. roof, glass, bonnet, door, etc., and both "modes" become even more water-repellent over

#### 00298 **Fusso Coat 12 Months Wax**

### **Light Color**



Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the . car body.

Directions Be sure that your car is compatible with this product in advance. 1. Wash off sandy dust and the other unwanted residue, and dry car body

before use. If heavily soiled, remove any dirt in advance, because this product does NOT include cleaning capability.

2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.

After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish.

\*We recommend using "Fukupika" series as daily maintenance.

#### 00300 **Fusso Coat 12 Months Wax**

### **Dark Color**



Fluorine polymer, which has a sufficient anti-fouling ability effectively protects the car surface from rain, dirt and other unwanted residue. Its thick hard coating repels water strongly, as water smoothly runs down and off the car surface. The effects will last up to 12 months and keep the car in a good condition for a long period of time. Furthermore the hard paste wax can create clear gloss on the car body.

Directions

\* Be sure that your car is compatible with this product in advance.

1. Wash off sandy dust and the other unwanted residue, and dry car body before use. If heavily soiled, remove any dirt in advance, because this product

does NOT include cleaning capability. 2. Take a moderate amount of the wax onto the included sponge and spread it thinly and evenly.

3. After surface gets dry (5-15 min. in the summer, 15-20 min. in the winter), wipe off with a dry soft clean towel for finish. \*We recommend using "Fukupika" series as daily maintenance.

**Fusso Coat Speed & Barrier Hand Spray (T)** 10291



Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable Fusso coating, cleaning and coating in one step! The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 180 days. Perfect for maintaining Fusso Coat.

Directions:

\* Before applying to a dirty vehicle, be sure to wash and dry it to avoid scratches. In cases of serious staining, use specialised cleaners. Contents will treat 5 mid-size vehicles

1. Shake well and switch the nozzle to ON.

2. Spray the surface of the vehicle, spacing shots by about 30 cm (12").

3. Without allowing to dry, lightly wipe across the surface with a clean, dry towel.Refold the towel to expose a fresh surface when wiping becomes difficult.

Case dimension
W 370 H 228 D 290 mm
Case weight
10.5kg
Case unit
12
Control No.
C-160
JAN code
4 975759 029045

Spec info 200g



7.5 kg

Case unit

20 Control No

W-95



Spec info. 200a

Case d	imensio	on	
w 252	н 227	D 400	mr

Case weight

7.5 kg

Case unit 20

Control No.

W-96 JAN code



Spec info.	
500ml	
Case dimension	
W498 H237 D264 mm	
Case weight	
13.3kg	
Case unit	
20	
Control No.	
W-208	
JAN code	
4 975759 1029	15

# Coating

Spec info

#### **Fusso Coat F7 All Color** 10339



Create strong fluorine layer "PTFE" on car paint surface without base treatment. Hydrophobic properties lasts up to 7 months\* and the newly formulated polymer develops an impermeable coating on the surface that remains for far longer than conventional

Easy to buff off and prevent stain comparing with conventional solid type. This product protects from various kind of dirts by creating un-penetrated fluorine polymer shield on top of paint surface. Compatible for all color vehicle. \* by SOFT99 test

Directions: \* Make sure that the product is compatible car paint color. 1. Rinse and wash car to remove dirt and sand. If heavily soiled, use car shampoo or

# cleaner. 2. Shake the bottle well.

Apply the moderate amount of liquid on the yellow side of included sponge and spread evenly. Then you can remove the dirt at the same time.
 If the dirt is stubborn, use a clay bar to smoothen the paint, achieve better durability and her outfield fields.

4. Let it dry (5-10 in summer, 15-25 in winter), buff it off with soft and clean towel.
 \* If the body gets dirty, wash with diluted neutral car shampoo or water, then restore hydrophobic and glossiness. As for daily maintenance, use "Fusso Coat Speed & Barrier Hand Spray".

#### 10117 H-9 Dual Layer Glass Coat

H-9 Dual Layer Glass Coat is an extra-hydrophobic glass-layer coating agent, which make use of state-fo-the-art Japanese technology, combining two different types of hard glass layers to provide 9H hardness. The beautiful deep gloss lasts for an amazingly long time, all while preventing adhesion of contaminants with its excellent water repellency.



### Directions

Directions: \* Before application, be sure to wash, de-iron, polish, and degrease the paintwork. \* Do not apply all at once. Work panel-by-panel. \* Be sure to cool the car body if hot. 1. Set the inner flow-limiter into the neck of Base Coat. 2. Put a moderate amount of liquid onto the white surface of the sponge and apply to the body in a criss-cross pattern to prevent gaps and unevenness. 3. Wipe off with attached towel before coaled surface gets dry. \* In cold or otherwise slow-drying environments, immediately repeat Steps 2 & amp; 3 one time.

time

- 4. Shake the Top Coat thoroughly, then set the flow-limiter. 5. 20-30 minutes after wiping off the Base Coat, put the Top Coat liquid onto the white

- 3. 20-30 finities after wiping of the Base Coat, but the Fop Coat liquid onto the wiping of a new sponge.
  \* Apply panel-by-panel in the same order as Base Coat.
  \* Be sure to shake the Top Coat thoroughly, ensure there is not sediment present.
  6. When the Top Coat has dried, wipe off with a fresh towel.
  \* Reference times for drying: 1 minute in summer, 2-5 minutes in winter.
  7. After coating, leave to cure in a dry place for 12 hours.

#### 10084 H-7 Glass-coat 200ml



H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

### Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.

2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened).

3. Allow to dry for approximately 5 minutes, and wipe down lightly with the included cloth.

4. After coating, leave to cure in a dry place for 12 hours.

#### 10088 H-7 Glass-coat 100ml



H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

### Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.

2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened). 3. Allow to dry for approximately 5 minutes, and wipe down lightly with the included cloth.

4. After coating, leave to cure in a dry place for 12 hours.

300ml
Case dimension
W 550 H 238 D 300 mm
Case weight
8.0 kg
Case unit
20
Control No.
JAN code
4 975759 103394

21	noc	info.	
2	pec	inito.	

Primer Liquid 100ml / Top Coat Liquid 100ml / Sponge with Buff × 2pc / Exclusive Cloth × 2pc / Gloves x 2pc

Case dimension W356 H126 D273 mm

3.7 kg Case unit

6

Control No



Spec info.

Liquid 200ml / Sponge with Buff × 2pcs / Exclusive Cloth × 2pcs / Gloves x 2pcs

### Case dimension W348 H150 D321 mm

Case weight

3.5 kg

Case unit

6

Control No.



# Spec info.

Liquid 100ml / Sponge with Buff × 2pcs / Exclusive Cloth × 2pcs / Gloves x 2pcs

### Case dimension

W322 H125 D321 mm Case weight 2.5 kg Case unit

6	
Control	No.



#### 10297 H-7 Glass-coat 50ml



## H-7 is a tough, silicon-based coating that forms a hard glass layer to protect a variety of objects in harsh environments: vehicles, marine vessels, vending machines, trains, signage, and other outside equipment and its housing. H-7 protects against corrosion from rain, salt, mud, chemicals, UV radiation, and even abrasion. Not only that, but it gives a high-gloss finish with excellent durability.

### Directions:

1. Completely remove grease and dirt from areas to be treated. If a cleaning agent or water is used, allow to dry completely.

2. Apply liquid to the white surface of the included sponge. Apply evenly to the surface, leaving no untreated or poorly covered areas. Use each sponge for only one application (do not reuse a sponge that has hardened). 3. Allow to dry for approximately 5 minutes, and wipe down lightly with the

included cloth.

4. After coating, leave to cure in a dry place for 12 hours.

### Spec info.

Liquid 50ml / Application pad × 1pc / Application cloth × 2pcs / Gloves × 2pcs / Removal cloth × 1pc / Pasteur pipette × 1pc

Case	aimensior	1

W448 H132 D266 mm

Case weight

2.8 kg

Case unit

10

Control No.





Spec info

#### 00462 Fukupika Wash & Wax Gen.5



This is the 5th generation model of Fukupika, the revolutionary waterless washing wipes

This is the sum generation model of Pukupika, the revolutionary water repellent effect while simulataneously cleaning. Just wipel to achieve excellent cleaning power while applying a hydrophobic coating. New binding technology now allows long-lasting hydrophobic coating of both glass and body! The sheets have been made half the size, with twice the quantity, for more economical spot usage. Of course, Fukupika wipes are fully compatible with ceramic/quartz/etc. professionally applied coatings.

Directions

- 1. Open the flap and remove one wipe.
- 2. 3. Fold the sheet in half and wipe the surface lightly. Start on the glass surfaces, before working on the body
- 4. If the wipe gets dirty, refold to use a frsh surface immediately.

On dirtier surfaces, wipe first to clean, and then wipe again with a fresh surface to finish. If the wipe becomes dirty, dry, or difficult to use, change to a new wipe. Dispose of wipes according to local regulations.

Note: Can be used on exterior surfaces including paint and glass

#### 00468 FUKUPIKA WASH&WAX 12 wipes



The triple-layer design was especially formulated for gentleness, with the central layer absorbing dirt to keep the outer layers cleaner. This helps prevent scratches, and supports the structure of the outer layers, which are optimized to glide lightly and effortlessly over any part of your vehicle, washing and waxing along the way to keep every inch fresh and shiny.

Directions:

- 1. Open the front flap, and pull out one wipe.
- 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt.
- 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with
- a fresh surface of the sheet.
- 4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.

#### 00471 **FUKUPIKA Strong Water Repellent**



Loaded with water-repellent silicone oils and powerfully adhesive wax, a sheet of nonwoven fabric, pinhole-treated for ultra-low friction, not only cleans your vehicle, but leaves it with long lasting protection in the form of a durable and highly hydrophobic layer. This layer will last for up to 3 months, or 5 machine washes.

Directions:

1. Open the front flap, and pull out one wipe.

2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt. 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.

4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet.

11.4ka

Spec info.

40

Control No.

W-219



#### 00488 **Fukupika Gloss**



With just a wipe, apply a hybrid coating of premium natural carnauba and a newly developed high-gloss polymer, instantly achieving a deep shine that will take your breath away. As with all FukuPika wipes, to maximize gentleness to your paintwork and skin, no use is made of petrochemical solvents or other unnecessary chemicals.

### Directions:

- 1. Open the front flap, and pull out one wipe.
- 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt. 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.

4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet. Note: If any streaking or unevenness remains after use, buff off with a clean, dry towel.

Case dimension
W 520 H 285 D 345 mm
Case weight
13.0kg
Case unit
40
Control No.
W-462
JAN code
4 975759 004622

24 wipes (ca. 175 x 300 mm)

Spec info 12 sheets (350×300mm)



10sheets (350×300mm) Case dimension

W495 H268 D365 mm

Case weight

Case unit

JAN code

### Spec info. 10sheets (350×300mm)

### Case dimension

4

W495 H320 D370 mm Case weight 11.0kg Case unit 40 Control No. W-160 JAN (

l code					
	575		04		
975	75	900	04	1111 88	2

#### 00496 **Fukupika Mirror Finish**



With the polishing action of a micro-particle powder, these wipes restore the smooth lustre of your vehicle's paintwork, and top it all off with a natural Carnauba-based coating to bring out an incredible gloss. By achieving this synergy of effects in a convenient sheet form, FukuPika Mirror Finish wipes allow easy improvement of lightly scratched paint in any area, including cramped or awkward areas like around the door handles. To maximize gentleness to your paintwork, your skin, and the environment, no use is made of alcohol, petrochemical solvents, or any other unnecessary chemicals.

Directions

 Open the front flap, and pull out one wipe.
 Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt. 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.

4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet. Note: If any streaking or unevenness remains after use, buff off with a clean, drv towel.

#### 00490 **Fukupika for Wax Coated Car**



With just a gentle wipe, restore the original gloss and shine of your vehicle's coating.

Featuring a pH-neutral and abrasive-free triple-layered construction for maximum gentleness, these wipes are specially designed to lift dirt nonabrasively and then absorb it into the central layer, so the outer surface stays fresher for longer.

### Directions:

- 1. Open the front flap, and pull out one wipe.
- 2. Fold the sheet into quarters and lightly wipe down the body of the vehicle. Keep refolding the wipe to expose fresh surfaces and avoid spreading any dirt. 3. In particularly dirty areas, first wipe off the dirt, then wipe up once more with a fresh surface of the sheet.

4. If the entire wipe is dirty or becomes dried out, please use a fresh sheet. Note: If any streaking or unevenness remains after use, buff off with a clean, dry towel.

#### 00484 **Fukupika Dry**



Just wipe down you're the body after washing with these highly absorbent wax-infused sheets to quickly and safely dry your vehicle, while simultaneously applying a coating that rivals traditional hard waxes for shine and protection. May also be used on a dry vehicle. Directions:

For a wet vehicle: 1. Fold down to a workable size (2 or 3 times) and use the sheet to dry the vehicle surface after washing. 2. Wring out and fold as needed, exposing a new surface regularly to ensure even coverage for the best possible protection.

For a dry vehicle: 1. First, wet the sheet and wring out enough that water is not left behind when wiping. 2. Fold down to a workable size (2 or 3 times) and wipe the vehicle surface lightly, but the state of t

thoroughly. 3. Refold as needed, exposing a new surface regularly to ensure even coverage for the best possible protection.

# 3sheets

Spec info

C W mm

С

З

Case unit

W-125



#### 00541 **Fukupika Spray Advance**

Directions:

Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a glossy and hydrophobic hybrid coating.



### 1. Shake the bottle well before use.

2. Turn nozzle toand spray 1 shot of the liquid for 30cm square each on dry paintwork, then wipe off with clean dry towel immediately. When use microfiber, spray twice than usual. \* If heavily soiled, wash off dirt and wipe off water otherwise it may cause

unevenness or streak mark.

\* Change the towel surface when it gets dirty.



Spec info.
12sheets (350×280mm)
Case dimension
N485 H340 D370 mm
Case weight
13.0kg
Case unit
40
Control No.
W-168
JAN code
4 975759 004905

ase d	limensio	on
/ 380	н 250	D 290
ase v	veight	
.0 kg		

40

Control No.

JAN code



Case dimension			
W 293	н 239	d 487	mm
Case w	/eight		
15.0kg			
Case u	nit		
30			

Control No. W-541

Spec info 320ml

Spec info 400ml

Case dimension

Case weight

15.0kg

30

Case unit

Control No

JAN code

W-542

W288 H240 D487 mm

Case dimension

#### 00543 **Fukupika Spray Advance (refill)**



Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable hybrid coating. The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 6 months.

### Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.

2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

W 396 H 232 D 286 mm Case weight 7.2 kg Case unit 20 Control No. W-543 JAN code

#### 00542 Fukupika Spray Advance Strong Type

Directions:

Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a glossy and hydrophobic hybrid coating.

1. Shake the bottle well before use. 2. Turn nozzle toand spray 1 shot of the liquid for 30cm square each on dry

paintwork, then wipe off with clean dry towel immediately. When use microfiber, spray twice than usual. ' If heavily soiled, wash off dirt and wipe off water otherwise it may cause

- unevenness or streak mark.
- \* Change the towel surface when it gets dirty.

#### 00544 Fukupika Spray Advance Strong Type (refill)



Just spray and wipe to freshen up your vehicle's bodywork, removing light dust and dirt while applying a highly durable hybrid coating. The wax coating is reinforced with fluoropolymers to enhance and extend hydrophobicity for up to 6 months. Eco-friendly refill pouch.

### Directions:

1. Firmly hold the top of the pouch and carefully open along the dotted line. Do not squeeze the pouch when opening.

2. Grasp the top of the pouch with one hand and, while supporting the bottom with your other hand, slowly pour the contents into the bottle. Take care not to knock over the bottle.

### Spec info. 320ml

Case d	imensio	on	
W 396	н 232	D 286	mr

Case weight 7.2 kg

e unit

Ca	se	u	ļ
20			

Control No

W-544





#### **Color Evolution - White & Pearl** 00501

### White & Pearl



With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions Directions: 1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area. 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time. 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth. Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product. top of this product.



Case dimension
W498 H225 D271 mm
Case weight
4.7 kg
Case unit
20
Control No.
W-180
JAN code
4 975759 005018

# Waxing

Spec info. 100ml

Case dimension W498 H225 D271 mm

Case weight 4.7 kg

Case unit 20 Control No. W-181 JAN code

Spec info 100ml

Case dimension W498 H225 D271 mm

Case weight 4.7 kg

Case unit 20 Control No W-182

JAN code

#### **Color Evolution - Silver** 00502

### Silver



With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions: 1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area. 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time. 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth. Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product

#### 00503 **Color Evolution - Black**

### Black



With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Litrections: 1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area. 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time. 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth. Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product. Directions top of this product.

#### **Color Evolution - Blue** 00504

### Blue



With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions: 1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area. 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time. 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth. Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product.

### Spec info. 100ml

Δ

Case dimension			
w 498	н 225	D 271	mm

Case weight

4.7 kg

Case unit

20

Control No. W-183

JAN code



#### 00505 **Color Evolution - Red**

### Red



With our Pixelcoat Technology giving the toughness and protection of an acrylic and polyurethane hybrid sealant, Color Evolution also makes use of micro-particle pigment to fill fine scratches and bring faded paint back to life. The thick protective layer gives an even, mirror-like surface, topped off with a high-gloss wax layer for a beautifully fresh finish that is easy to apply and lasts for up to one month. This product contains no abrasives. Sponge, gloves, and cloth included.

Directions: 1. Wash and thoroughly dry the vehicle. Test color compatibility in a low-visibility area. 2. Shake the bottle well before applying a moderate amount of product to the yellow side of the included sponge, and spread evenly over the paintwork, one panel at a time. 3. When a panel has dried completely (5 to 10 minutes in summer, 15 to 25 minutes in winter), return to that panel and buff off the residue with the included cloth. Note: Not suitable for treating deep scratches. Waxes and sealants may not be layered on top of this product. Directions top of this product.



20

Δ

# Case dimension W498 H225 D271 mm Case weight 4.7 kg Case unit Control No. W-184 JAN code

#### **EXTREME GLOSS WAX WHITE Soft Paste Wax** 00191

gloss. This is 'The Kiwami'.

### WHITE Soft Paste Wax



# Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

'The Kiwami' White Soft is a carefully blended paste, based on high-grade

mineral wax and reinforced with our latest synthetic polymers. This blend is

designed especially to bring a dazzlingly bright shine to the paintwork of your white or light coloured vehicle for up to 3 months. This is the ultimate wax for

Body

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. Increase pressure to remove stubborn dirt and stains.

3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### **EXTREME GLOSS WAX SILVER Hard Wax** 00192

### **SILVER Hard Wax**

'The Kiwami' is a carefully crafted blend of the finest Carnauba wax, reinforced with our latest synthetic polymers. This blend is designed especially to bring a dazzling gloss and sparkle to the paintwork of your silver vehicle for up to 3 months. This is the ultimate wax for gloss. This is 'The Kiwami'.

### Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### 00193 **EXTREME GLOSS WAX BLACK Hard Wax**

### **BLACK Hard Wax**



'The Kiwami' is a carefully crafted blend of the finest Carnauba wax, reinforced with our latest synthetic polymers. This blend is designed especially to bring deep-space darkness to the paintwork of your black or coloured vehicle, at the same time leaving it with an unparalleled gloss to bring dazzling contrast to every angle and surface of your vehicle, with effects lasting up to 3 months. This is the ultimate wax for gloss. This is 'The Kiwami'.

Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### 00421 **REFINE Soft Paste Wax**

This multi-purpose wax is suitable for removing water marks from any colour of vehicle, and will impart a lustrous shining finish to the paintwork. This product is also suitable for polishing motorcycles, helmets, and plastic parts.

### Directions:

Note: Apply to a washed and thoroughly dried car. To avoid staining, be sure to remove all product residue.

1. Apply a moderate amount of product to the included cloth.

2. Rub firmly and evenly, regularly folding the cloth to expose a fresh surface, until the desired finish is achieved.

7.5 kg Case unit 20 Control No. W-223 JAN code Spec info 200g



Spec info. 200a

Case dimension W616 H179 D249 mm

Case weight

7.5 kg Case unit

20

Control No.

Spec info

W-225 JAN code



epec mic.
150g
Case dimension
W 603 H 159 D 244 mm
Case weight
6.7 kg
Case unit
20
Control No.
W-229
JAN code
4 975759 004219



Spec info. 200g

Case dimension

Case weight

W616 H179 D249 mm

Spec info 200g

Case dimension

W616 H193 D249 mm

#### **New Scratch Clear Wax-Mirror Finish - Solid White** 00418

### **Solid White**

With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.

2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

#### 00419 New Scratch Clear Wax-Mirror Finish - Pearl & Metallic

### **Pearl & Metallic**



With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.

2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

#### 00420 **New Scratch Clear Wax-Mirror Finish - Dark & Metallic**

### **Dark & Metallic**



With a no-cure, no-buff application, New Scratch Clear Wax 'Mirror Shine' features a newly developed micro-particle powder to remove scratches in a flash, leaving your vehicle radiant and protected with wax for a mirror-like finish. The one-step cloth-based application means working on the details is no awkward struggle, so you'll be standing back in no time to admire your paintwork shining as if it were brand new!

Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.

2. Simply polish into the surface with even pressure to achieve a perfect finish. There is no need for curing or removal. Be sure to polish until no visible product remains on the paintwork.

#### 00341 Water Block Wax White

### White



Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

### Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

Case weight	
8.2 kg	
Case unit	
20	
Control No.	
W-195	
JAN code	
4 975759 004189	

6

Spec info.
200g
Case dimension
W 616 H 193 D 249 mm
Case weight
8.2 kg
Case unit
20
Control No.
W-196
JAN code
4 975759 004196

4	975 975	575	9 0	04	196	

Spec	info	).
200a		

S

C

w

C

8

ase dimension					
616	н 193	d 249	mm		
ase v	veight				
2 kg					

Case unit

20	
Control	No.

W-196

Spec info. 300a

	1			-	
L	Δ	N	6	200	le



0
Case dimension
W616 H193 D249 mm
Case weight
9.9 kg
Case unit
20
Control No.
W-65
JAN code
4 975759 003410

#### 00344 Water Block Wax Pearl & Metallic

### **Pearl & Metallic**



Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

### Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### Water Block Wax Dark & Metallic 00347

## **Dark & Metallic**



Water Block is a durable synthetic wax with superior hydrophobic properties to give your vehicle unrivalled protection from acid rain and other water-borne contaminants. Combining beautifying wax technology with selected superhydrophobic silicone polymers, Water Block Wax beads like nothing else and lasts for up to 10 washes!

### Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### **New Soft 99 Wax - White Soft Paste** 00020

### White Soft Paste



Formulated especially for solid white and pastel vehicles, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt without affecting the paintwork, and high-grade mineral wax to form a shining protective layer with unbeatable brightness, plus superior water-repellency. May be used on painted bumpers, mirror holders, etc.

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

2. Increase pressure to remove stubborn dirt and stains.

3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork. 4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

#### 00027 New Soft 99 Wax - Pearl & Metallic

### **Pearl & Metallic**



Formulated especially for metallic or pearlescent white and pastel vehicles, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt and restore the lustre without affecting the paintwork, and high-grade mineral wax to form a shining protective layer with unbeatable brightness, plus superior water-repellency. May be used on painted bumpers, mirror holders, etc.

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

2. Increase pressure to remove stubborn dirt and stains.

3. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork. 4. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

Case dimension		
W 616 H 193 D 249 mm		
Case weight		
9.9 kg		
Case unit		
20		
Control No.		
W-66		
JAN code		
4 975759 003441		

Waxing

Spec info. 300g

Spec info.
300g
Case dimension
W616 H193 D249 mm
Case weight
9.9 kg
Case unit
20
Control No.
W-67
JAN code
4 975759 003472

Spec	info
250~	

Case d	limensio	on	
W 620	н 250	d 200	mm
Case v	veight		
10.0kg			
Case u	nit		
20			
-			

Control No

W- 3 JAN code



Spec info.	
320g	
Case dimension	
W620 H250 D200 mm	
Case weight	
10.0kg	
Case unit	
20	
Control No.	
W- 4	
JAN code	
4 975759 00027	

#### **Dark & Black Wax** 00010

### **Dark & Black**



Real Carnauba wax for real deep gloss on your black or dark coloured vehicle. This product contains natural Carnauba to form a protective layer with slick looks, plus superior water-repellency and heat-resistance. May also be used on painted bumpers, mirror holders, etc.

### Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork. 3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

#### 00112 Hanneri Wax



Hanneri Wax, a soft pasted wax that has been formulated with an all-new method of development. It removes dirt and spots while maintaining the beautiful shine of the car body. Compatible with all non-black cars, whether old or new.

Directions:

- Make sure that your color is compatible with this product.
- \* Wash off sand, dust, and dirt, and wipe off any remaining water drops from

car surface. 1. Take a moderate amount of the wax and spread it evenly onto car's body using the included sponge.

Rub more firmly to remove heavier stains like dirt, tar, and pitch.

3. After surface gets dry (5-10 minutes), wipe it off with a soft clean towel. Make sure to finish entire process. If left unfinished, it may cause spots or unevenness

4. Seal up the can container in order to prevent the fluid from evaporating. Also wash your hands well with soap afterwards.

#### 00120 **Car Wax Black**

Combining purified Carnauba wax from Parnaiba with silicone polymer oils to give deep, dark, glowing protection, this classic wax is made for black and dark solid or metallic vehicles.



### Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork. 3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards

### Spec info. 250a

С

ase	dimension	

W604 H179 D249 mm

Case weight 8.5 kg

	•
Case	unit

20

Control No.

W-20 JAN code



#### 00171 **The King of Gloss - Solid White**

### **Solid White**



### The King of Gloss coats your vehicle with a thick layer of our spectacularly glossy blend of mineral wax and synthetic resin. It is also easy to work with, and buffing off is a breeze. No smearing or unevenness! We have created this special blend to enhance white paint to its full eye-popping potential. This is the King of Gloss!

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.



20

# Case dimension W 250 H 200 D 620 mm Case weight 10.0kg Case unit Control No. W-143

JAN code

300g
Case dimension
W620 H250 D200 mm
Case weight
10.0kg
Case unit
20
Control No.
W- 2
JAN code
4 975759 000105

8

Body

Spec info

Spec info 280g

Case dimension

Case weight 9.2 kg

Case unit

Control No

JAN code

20

W-19

W616 H179 D249 mm

# Waxing

Spec info. 300g

Case dimension

Case weight

Control No.

W-146

JAN code

10.0kg Case unit

20

W 250 H 200 D 620 mm

# 9

#### 00177 The King of Gloss - Black & Dark

### **Black & Dark**



The King of Gloss coats your vehicle with a thick layer of our spectacularly glossy blend of mineral wax and synthetic resin. It is also easy to work with, and buffing off is a breeze. No smearing or unevenness! We have created this special blend to enhance black and dark coloured paints to their full eyepopping potential. This is the King of Gloss!

### Directions:

Note: Apply to a washed and thoroughly dried car. In hot conditions, work panel-by-panel to avoid over-curing. Curing time may be longer in cold conditions.

1. Take a moderate amount of wax onto the included sponge, and spread it evenly over the body of the vehicle.

2. After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.

#### 00373 **Mirror Shine Wax - Light Colours**

### **Light Colours**



Ultimate shine, with no buffing required! This unique synthetic wax creates a mirror-like shine on your vehicle, with no need to cure or buff. Just apply with the included microfiber cloth, and you'll have a gleaming finish that lasts for up to 3 months! You can even use Mirror Shine on plastic parts, such as bumpers and lamp covers. This product contains no polishing compound.

Directions:

- Note: Apply to a washed and thoroughly dried car.
- 1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.
- 2. Simply wipe across the surface with even pressure to achieve a perfect finish. There is no need for curing or removal.

#### 00374 **Mirror Shine Wax - Dark Colours**

### **Dark Colours**



Ultimate shine, with no buffing required! This unique synthetic wax creates a mirror-like shine on your vehicle, with no need to cure or buff. Just apply with the included microfiber cloth, and you'll have a gleaming finish that lasts for up to 3 months! You can even use Mirror Shine on plastic parts, such as bumpers and lamp covers. This product contains no polishing compound.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included cloth, and apply it evenly to the body of the vehicle.

2. Simply wipe across the surface with even pressure to achieve a perfect finish. There is no need for curing or removal.

### Spec info 200a

W

Case dimension	on	
W616 H193	d 249	mm
Case weight		
8.3 kg		
Case unit		
20		

Control No.

W-213



#### 10019 **Extra Hard Wax**



### Directions:

vehicles of any colour.

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

Formulated with natural Carnauba wax to create ultimate shine, this wax forms

a tough, durable coating to protect the vehicle's body from staining or damage

by water, UV, acid rain, and other contaminants. This product is compatible

2. After drying for between 5 and 20 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork. 3. Tightly seal the container to prevent drying. Wash hands well with soap afterwards.



C

Case dimension	on		
w616 н199	d 249	mm	
Case weight			
20.0kg			
Case unit			
20			
Control No.			



Spec info 200g



JAN code



Spec info. 530ml

Case dimension

Case weight

24.0kg

24

Case unit

Control No.

JAN code

W 390 H 220 D 320 mm

## 10023 New Meta Clean Liquid Wax



This liquid cleaning wax safely removes dirt and other unwanted residue, to restore the original shine of the paintwork. This product is especially formulated for metallic vehicles.

Directions:

Note: Apply to a washed and thoroughly dried car.

- 1. Shake well before use.
- 2. Take a moderate amount of liquid onto the included sponge, and spread it thinly and evenly over the body of the vehicle.
- 3. Increase pressure to remove stubborn dirt and stains.
- 4. After drying, buff off with a soft clean towel.

### 10030 New Metallic Soft Wax

A soft paste cleaner wax that can remove dirt and stains, this wax is formulated especially to produce amazing glossy results on metallic vehicles.

Directions:

Note: Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

2. Increase pressure to remove stubborn dirt and stains.

3. After drying, buff off with a soft clean towel.



Case dimension W 616 H 199 D 249 mm Case weight 20.0kg Case unit

20

Control No.



# 10162 Authentic Premium(E)



Truly a wax work of art, Authentic Premium is made with no compromises, only the highest quality refined natural Carnauba, imported from Brazil and subjected to our rigorous testing regime in Japan. Easy to apply, a fine-grade sponge applicator is included to help the wax spread smoothly and evenly across your paintwork. A detailing brush is also included, for easy removal from tight areas such as around the emblems and moldings. Each can of Authentic Premium is overflowing with our passion for quality, and obsession with beauty... Just see for yourself!

### Directions:

 Wash the car to remove dust and dirt. Drying is optional; this product may be used on a wet body.
 Take a moderate amount of wax onto the included sponge, and spread it

2. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

 After drying for between 5 and 10 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
 Tightly seal the container to prevent drying. Wash hands well with soap afterwards.

# 10163 Luxury Gloss



A newly developed water-based liquid wax, focused on gloss, shine, and smoothness not found in other products. This may be used as a stand-alone wax, or as a quick top-up or enhancement for any other paint protection. Just spray and wipe, it could not be any easier! All this comes with a tropical mango scent to make application all the more enjoyable. At a full 500 ml, this is one generous serving of simple sophistication.

Directions:

- 1. Ensure the paintwork is dry and free from dust and dirt.
- 2. Spray onto the area to be treated, spacing shots by around 50 cm.
- 3. After spraying a panel, wipe off immediately and move on to the next.

Spec info. 200a

Case o	limensio	on	
W 680	н 195	D 275	mr

Case weight

8.6 kg

Case unit

20

Control No.

JAN code



Spec info.
500ml
Case dimension
W498 H237 D264 mm
Case weight
12.5kg
Case unit
20
Control No.
JAN code
4 975759 101635

# 10206 Extra Hanneri



With quick and easy application, this soft paste preparation contains a gentle polishing agent to remove stubborn dirt without affecting the paintwork, while forming a shining protective layer with unbeatable brightness, plus superior water-repellency to prevent damage from rain and other dirt. This product is suitable for white and light-coloured vehicles.

### Directions:

Note: Use only on specified colours. Apply to a washed and thoroughly dried car.

1. Take a moderate amount of wax onto the included sponge, and spread it thinly and evenly over the body of the vehicle.

2. Increase pressure to remove stubborn dirt and stains.

 After drying for between 5 and 15 minutes, buff off with a soft clean towel. Be sure to remove completely and promptly to avoid damaging the paintwork.
 Tightly seal the container to prevent drying. Wash hands well with soap

afterwards.

Spec info.
320g
Case dimension
W616 H199 D249 mm
Case weight
20.0kg
Case unit
20
Control No.
JAN code
4 975759 102069

Exterior

Spec info. 8ml

Case dimension

Case weight

Control No

JAN code

Spec info

Case weight 3.8 kg Case unit

20 Control No F-56

Base Cleaner : 50ml

Coating Liquid : 8ml Case dimension W486 H216 D252 mm

2.0 kg Case unit

50

E-42

W188 H235 D454 mm

#### NANO HARD PLASTICS COAT 03131



By applying this to faded or hazy plastic parts, you can restore and protect them with a transparent, heat-resistant polymer layer that will last for up for between 6 months and a year. It can be applied to any plastic surface on a vehicle, or even in the home, and the components react on the surface to form a hard, glass-like layer to protect the surface.

Directions:

- 1. Remove all dirt and residue from the wheel that are to be treated.
- 2. Apply a small amount of liquid to the sponge
- 3. Dry for about 5 minutes, rest, and remove residue with a dry, clean towel. Do not touch or wet for 24 hours. Complete setting occurs within 3-4 days.

#### 03133 LIGHT ONE

Over time, road contaminants and UV cause headlight lenses to deteriorate, and become foggy or even yellow. Not only does this look dirty, it also affects the quality of light given out. Because it occurs gradually, it may go unnoticed, but a reduction in light quality adversely affects visibility and can lead to accidents. Our two-step headlight restoration kit not only brings back clarity and shine to hazy or yellowed headlights and other plastic parts, but also adds a hard topcoat to protect your lenses from dirt and UV radiation. This kit includes Base Cleaner, Hard Topcoat, a cloth and an applicator sponge.

Directions:

- Directions: 1. First, wash and dry the lenses. 2. Shake the bottle of Base Cleaner well, and apply to one side of the included cloth. Spread around evenly, and polish the deteriorated areas until clarity returns. 3. When finished, wipe off the Base Cleaner with the clean side of the cloth. 4. Shake the bottle of Hard Topcoat well, apply to the included sponge, and spread around





This product restores and protects transparent plastic parts that have faded or yellowed. It can be used on any transparent or translucent unpainted plastic parts, such as light lenses, window deflectors, and translucent trim. A beautiful thin film of Crystal Blue glass coating brings back the clarity of plastic parts, and counteracts yellowing due to age. Unlike one-off quick detailing agents, such as those containing silicone oil, Nano Hard Clear creates a layer of glass on the surface of the plastic, which can improve looks and add protection for over 6 months.

Directions:

Directions: 1. Remove all dirt and oil from the area to be treated. If water is used, be sure to dry completely. 2. Wearing the included gloves, shake the bottle well and add some liquid to the white surface of the included sponge. Spread thinly and evenly across the surface of the plastic. 3. After about one minute of drying, spread around again with the unused white side of the sponge, to smooth out any unevenness. Note: Do not touch or wet for 24 hours after application. Full hardening occurs within 4 days. Coating must be applied with the included sponge. Do not reuse sponges.

### Spec info

8ml

C W

JAN code

Case o	dimensio	on	
W 454	н 235	d 188	mm
Case v	veight		
2.0 kg	1		
Case ι	unit		
50			

Control No.

E-55



#### 09500 **Rubber & Plastic Parts Restoration Agent**

Bring the life back to faded plastic and rubber trim! This treatment restores the deep darkness, natural gloss, and rich texture of black trim to revitalize your vehicle. The unique coating liquid penetrates into the surface and polymerizes to form a flexible yet glossy surface, making it suitable for restoring both hard plastic and soft rubber!

Directions

Directions: Note: Apply only to clean, dry, unpainted plastic and rubber. 1. First clean and degrease the area to be treated using the included 'Silicone Off' degreasing sheets. Note: Some textured plastics may pick up fibers from the sheet. Remove these before proceeding. To prevent the sheets from drying out, firmly seal the package between uses. 2. Cut the sponge according to the area to be treated. The black sponge is for hard plastic, the white sponge is for soft rubber. Apply a small amount of the liquid (green label), and spread thinly and evenly across the surface to be treated. Note: Some rubber parts may absorb the liquid. Keep applying until enough liquid remains. 3. After drying for around 5 minutes, use a fresh sheet to lightly wipe up the surface for an even finish. If left for too long, the excess will not be possible to remove. Note: Do not touch or wet for 24 hours. Do not reuse sponges that have hardened. If the liquid unintentionally comes into contact with another surface, wipe off immediately.



Hard Sponge × 2pcs / Soft Sponge × 2pcs / Silicone off Wipes × 3sheets / Gloves × 2pcs
Case dimension
W388 H212 D290 mm
Case weight
2.6 kg
Case unit
30
Control No.
B-500
JAN code
4 975759 095002

#### 03135 **MEGAMI Headlight Refresh**



A two-component headlight cleaner & coating that revives the sharp clearness of headlights. Both abrasive and chemical components dissolve and polish the surface to remove yellowing and fading. The coating is composed of a glass-based hard layer and a hydrophobic stain-repellent layer, which protects the headlights, lasting around 6 months, according to in-house testing.

Directions: Note: Wash and dry thoroughly before use.

Note: Remain any district of the second seco

polish until yellowing and fading have been removed. 2. After polishing, wet the non-woven cloth with water, and wring out firmly. Wipe the polished area clean, and dry it completely. If yellowing or faded areas remain, repeat the process from step (1).

3. Soak the Coating thoroughly into the entire white surface of the yellow sponge. Apply one coat in one direction, so that no streaks remain. Keep adding liquid to the sponge as necessary, until the full surface has been treated.

The liquid will become sticky as it hardens. Avoid touching the area where you have finished applying. Do not touch or wet for 24 hours after application. If coating is unusually uneven, it may be removed using "Silicone Off" during the curing phase (3-4 days). After full curing, removal must be conducted using a fine compound.

#### **SUPER BLACK - Plastic & Rubber Restoration Agent** 03136

A gloss-revival agent that restores a fresh, new, natural black look, simply by applying it to unpainted trim and rubber that have faded over time. Just a small touch like this can keep your vehicle looking fresher for longer!

The reactive siloxane-based coating is durable, and will keep black parts looking fresh for about 12 months on the trim, and about 6 months on rubber.

We have also developed a 3WAY sponge, which makes it easy to apply to small and complex parts. It can also be split up, for each part to be used as needed. Directions:

Note: This product is single-use. Use Immediately after opening. Clean, degrease, and thoroughly dry application area before use. Remaining moisture may cause unevenness. Use provided glove.

Split the slim sponge (yellow) into one piece.
 Remove the cap of the main bottle, soak the black side of the thin sponge (yellow), and spread across the area thinly and evenly.
 Do not squeeze the container with too much force. May cause spillage.
 Rubber areas and softer plastics will absorb the liquid, so apply sufficiently until saturated.
 3.Dry for around 5 minutes, then wipe it off gently with included cloth, to smooth out any unevenness on the surface.

Note: Do not touch or wet for 24 hours after application. If liquid contacts other areas, wipe off immediately.

### Spec info.

Cleaner:50ml / Coating:10ml Blue Sponge:2 pcs/ Yellow Sponge:2 pcs Non-woven Cloth:2 pcs / Protective Glove:1 pc

Cas	e uli	nens	

W425 H212 D256 mm

Case weight

3.3 kg

Case unit

20 Control No.

E-62





### Spec info.

Liquid: 30mL / Slim sponge (yellow): 2pcs / 3WAY sponge (black): 1pc / Non-woven cloth: 1pc / Glove: 1pc

Case dimension

W425 H215 D256 mm Case weight

1.9 kg

Case unit

20

Control No.

F-63 JAN code

